

2016


Mindful Fitness: Guidelines for Prenatal Practice

Kimberlee Bethany Bonura
Walden University

Follow this and additional works at: https://scholarworks.waldenu.edu/sp_pubs

 Part of the [Social and Behavioral Sciences Commons](#)

This Article is brought to you for free and open access by the College of Social and Behavioral Sciences at ScholarWorks. It has been accepted for inclusion in School of Psychology Publications by an authorized administrator of ScholarWorks. For more information, please contact ScholarWorks@waldenu.edu.



International Journal of
Childbirth Education



Exercise in Pregnancy

The official publication of the International Childbirth Education Association

VOLUME 31 NUMBER 1 JANUARY 2016



The official publication of the
International Childbirth Education Association

Managing Editor

Debra Rose Wilson
PhD MSN RN IBCLC AHN-BC CHT

Associate Editor

Amber Roman, BS ICCE CD

Assistant to the Editor

Dana M. Dillard, MS PhD
Debbie Finken, MSc PhD
Linda Gibson, PhD RN

Book Review Editor

William A. Wilson, MBA

Peer Reviewers

Terriann Shell, IBCLC ICCE FILCA
Debbie Sullivan, PhD MSN RN CNE
Joy Magness, PhD APRN-BC Perinatal Nurse-BC
Maria A. Revell, PhD RN COI
Karen S. Ward, PhD RN COI
Marlis Bruyere, DHA M Ed BA B Ed
Dana Dillard, MS PhD
Debbie Finken, MSc PhD
Janice Harris, EDS MSN RN
Genae D. Strong, PhD CNM RNC-OB
IBCLC RLC CLC CNE
Courtney S. Hines, DNP MSN RN

Cover Photography

Shelen at See Shel's Photography
Saskatoon Family Photography
<http://www.seeshels.com/>

Graphic Designer

Laura Comer

Articles herein express the opinion of the author. ICEA welcomes manuscripts, artwork, and photographs, which will be returned upon request when accompanied by a self-addressed, stamped envelope. Copy deadlines are February 1, May 1, August 1, and October 1. Articles, correspondence, and letters to the editor should be addressed to the Managing Editor. editor@icea.org

The *International Journal of Childbirth Education* (ISSN:0887-8625) includes columns, announcements, and peer-reviewed articles. This journal is published quarterly and is the official publication of the International Childbirth Education Association (ICEA), Inc. The digital copy of the journal (pdf) is provided to ICEA members. www.icea.org/content/guide-authors provides more detail for potential authors.

Advertising information (classified, display, or calendar) is available at www.icea.org. Advertising is subject to review. Acceptance of an advertisement does not imply ICEA endorsement of the product or the views expressed.

The International Childbirth Education Association, founded in 1960, unites individuals and groups who support family-centered maternity care (FCMC) and believe in freedom to make decisions based on knowledge of alternatives in family-centered maternity and newborn care. ICEA is a nonprofit, primarily volunteer organization that has no ties to the health care delivery system. ICEA memberships fees are \$95 for individual members (IM). Information available at www.icea.org, or write ICEA, 2501 Aerial Center Parkway, Suite 103, Morrisville, NC 27560

© 2015 by ICEA, Inc. Articles may be reprinted only with written permission of ICEA.

International Journal of Childbirth Education

VOLUME 31 NUMBER 1 JANUARY 2016

Indexed in the Cumulative Index to Nursing and Allied Health Literature (CINAHL)

Columns

The Editor's Perspective – Benefits of Exercise
by Debra Rose Wilson, PhD MSN RN IBCLC AHN-BC CHT 4

Across the President's Desk – Happy New Year
by Connie Livingston, RN BS FACCE LCCE ICCE 5

From the Executive Director – Cheers to New Beginning
by Jessica Lytle, ICEA Executive Director 6

Guest Editor – Prenatal Exercise as Self-Care: A Gentle Approach for Childbirth Educators
by Kimberlee Bethany Bonura, PhD RYT 7

Features

Exercise and Pregnancy
by Dana M. Dillard, PhD(c) MS HSMI 8

The Road to Becoming a Certified Prenatal/Postnatal Fitness Instructor:
Combining Passion & Profession
by Courtney Hines, DNP MSN RN 11

Mindful Fitness: Guidelines for Prenatal Practice
*by Kimberlee Bethany Bonura, PhD RYT, Nina Ida Marie Spadaro, EdD,
and Rives Whittle Thornton, MS LMHCA* 14

Overview of Pelvic Floor Dysfunction Associated with Pregnancy
by Samantha J. Bartling, BS and Patrick M. Zito, DO PharmD RPh FASCP FRSPH 18

Self-Myofascial Release Has Benefits for Pregnant Women
by Desiree J. Ahrens, MA IBCLC ICPFE EPC 21

In Practice

Prenatal Education and Childbirth Decision Making
by Bessie M. McCants, PhD and Jay R. Greiner, PhD 24

Targeting Unintended Teen Pregnancy in the U.S.
by Hadi Danawi, PhD MPH, Zenobia Bryant, MPH, and Tala Hasbini, MS 28

The Importance of Infant Nutrition
by Virginia Coleman Smith, DNP FNP-C ICCE

Health Inequalities and Breastfeeding in the United States of America
*by Hadi Danawi, PhD MPH, Lindsay Estrada, MPH, Tala Hasbini, MS,
and Debra Rose Wilson PhD MSN RN IBCLC AHN-BC CHT* 35

Paternal Age and Birth Issues
by Barbara F. Turnage, PhD, Andre P. Stevenson, PhD, and Tina L. Jordan, PhD 40

Book Reviews

Fit for Birth and Beyond: The Guide for Women Over 35
reviewed by Kristina M. Plunk, MSN RN 43

On Becoming a Teen Mom
reviewed by Debbie Anderson, BSN, RN 44

Fathers in Cultural Context
reviewed by Patrick M. Zito, DO PharmD RPh FASCP FRSPH 44

The Child's Discovery of Death
reviewed by Emma J. Brooks, MS 45

Prenatal and Childhood Nutrition: Evaluating the Neurocognitive Connections
reviewed by Brian S. Paramore, MA MSN RN 46

Teen Pregnancy and Parenting: Rethinking the Myths and Misperception
reviewed by Tricia Goodwin, MSN RN AHN-BC 47

Combining Passion & Profession

continued from previous page

Choi, J., Fukuoka, Y., & Lee, J. H. (2013). The effects of physical activity plus diet interventions on body weight in overweight or obese women who are pregnant or in postpartum: a systematic review and meta-analysis of randomized controlled trials. *Preventive Medicine, 56*(6), 351-364.

Claesson, I. M., Sydsjö, G., Brynhildsen, J., Cedergren, M., Jeppsson, A., Nyström, F. ... Josefsson A. (2008). Weight gain restriction for obese pregnant women: a case-control intervention study. *British Journal of Obstetrics and Gynecology, 115*(1), 44-50.

Guendelman, S., Pearl, M., Kosa, J. L., Graham, S., Abrams, B., & Kharrazi, M. (2013). Association Between Preterm Delivery and Pre-Pregnancy Body Mass (BMI), Exercise and Sleep During Pregnancy Among Working Women in Southern California. *Maternal Child Health Journal, 17*, 723-731.

Haakstad, L.A., & Bo, K. (2011). Effect of regular exercise on prevention of excessive weight gain in pregnancy: A randomized controlled trial. *European Journal of Contraception, 16*, 116-125.

International Childbirth Education Association. (2015). Prenatal Fitness Educator. Retrieved November 28, 2015, from <http://www.icea.org/index.php?q=content/prenatal-fitness-educator>

Kabiru, W., & Raynor, B. D. (2004). Obstetric outcomes associated with increase in BMI category during pregnancy. *American Journal of Obstetrics and Gynecology, 191*, 928-932.

NCHS. (2015). NCHS Data Brief, number 219, November 2015: Prevalence of Obesity Among Adults and Youth: United States, 2011-2014. Retrieved from www.cdc.gov/nchs/data/databriefs/db219.pdf

Oh Baby! Fitness. Pre/Postnatal Fitness Training. Retrieved November 28, 2015, from <http://www.ohbabyfitness.com/pre-postnatal-fitness-training>

Prepared Childbirth Educators, Inc. (2015). Certification Prep Courses. Independent Study Prenatal/Postnatal Fitness. Retrieved from November 28, 2015, from http://www.childbirtheducation.org/in_ppft.html

Siega-Riz, A. M., Viswanathan, M., Moos, M. K., Deierlein, A., Mumford, S., Knaack, J., ... Lohr, K. N. (2009). A systematic review of outcomes of maternal weight gain according to the Institute of Medicine recommendations: birth weight, fetal growth, and postpartum weight retention. *American Journal of Obstetrics and Gynecology, 201*(4), 339e1-14.

Shirazian, T., Monteith, S., Friedman, F., & Rebarber, A. (2010). Lifestyle modification program decreases pregnancy weight gain in obese women. *American Journal of Perinatology, 27*(5), 411-414.

Tobias, D. K., Zhang, C., van Dam, R., Bowers, K., & Hu, F. (2011). Physical activity before and during pregnancy and risk of gestational diabetes mellitus: a meta-analysis. *Diabetes Care, 34*(1), 223-229.

Weiss, J. L., Malone, F. D., Emig, D., Ball, R. H., Nyberg, D. A., Comstock, C. H., ... FASTER Research Consortium. (2004). Obesity, obstetric complications and cesarean delivery rate—A population-based screening study. *American Journal of Obstetrics and Gynecology, 190*, 1091-1097.

Weissgerber, T. L., Wolfe, L. A., Davies, G. A., & Mottola, M. F. (2006). Exercise in the prevention and treatment of maternal-fetal disease: a review of the literature. *Applied Physiology, Nutrition, and Metabolism, 31*(6), 661-674.

Dr. Courtney Hines is a neonatal intensive care unit (NICU) nurse and received her BSN from Fisk University, her MSN from Vanderbilt University School of Nursing, and her DNP from the University of Minnesota School of Nursing. Dr. Hines has taught at various institutions both nationally and internationally, and she currently serves as a full-time Associate Professor at Tennessee State University in the School of Nursing. Dr. Hines is passionate about maternal/child health and is committed to making changes in this area of healthcare.

Call for Papers for the ICEA Journal

You are encouraged to write a paper for the journal. Here are some upcoming themes. The list of topics and themes for articles that are being sought to submit for peer review include:

- Global Perspectives
- Military Families
- Caring for a Newborn
- Pain Management in Labor
- Delivery Options and Trends
- Unexpected Outcomes
- Build Your Business
- Evidenced Based Practice
- Folk Practices
- Birthing Through Time

Please consider sharing your knowledge and expertise with ICEA members. **Deadline for April issue (Global Perspectives) is March 1, 2016.**

Email your paper to editor@icea.org

Author guidelines can be found at www.icea.org.

The logo for the International Childbirth Education Association (ICEA). It features a stylized circular emblem on the left, composed of two overlapping loops, followed by the letters "ICEA" in a large, bold, serif font.

International Childbirth Education Association

Mindful Fitness: Guidelines for Prenatal Practice

by Kimberlee Bethany Bonura, PhD RYT, Nina Ida Marie Spadaro, EdD, and Rives Whittle Thornton, MS LMHCA

Abstract: *Mindfulness exercise practices offer a form of physical activity which is uniquely suited to support both psychological and physical health during pregnancy. Mindfulness exercise practices, which include yoga, qi gong, tai chi, and martial art forms such as kung fu, karate, and tae kwon do, combine physical activity with deliberate breathing exercises and focused attentional strategies. The purpose of this article is to review the various forms of mindfulness exercise and outline basic guidelines for mindfulness exercise training during pregnancy.*

Keywords: pregnancy, exercise, mindfulness, Yoga, Tai Chi

Both the American College of Sports Medicine (ACSM, No date) and the American Congress of Obstetricians and Gynecologists (ACOG, 2011) recommend exercise during pregnancy to support health outcomes, including improved psychological health such as improved mood and energy, and improved physical health, for instance, reduced pain and constipation, improved posture, and reduced risk of gestational diabetes. However, research from the University of North Carolina indicates that only 23% of pregnant women achieve the minimum recommendation for physical activity during pregnancy (Evenson, 2010). Providing pregnant women with a variety of exercise practices may increase access to activity and therefore encourage women to engage in physical activity during pregnancy. Mindfulness exercise practices offer a form of physical activity which is uniquely suited to support both psychological and physical health during pregnancy.

Mindfulness is the practice of complete present-moment awareness (Lasater, 2000). Mindfulness exercise practices, which include yoga, Qi Gong, Tai Chi, and martial art forms such as Kung Fu, karate, and Tae Kwon Do, combine physi-

cal activity with deliberate breathing exercises and focused attentional strategies. This combination of activity, breathing, and focus helps the individual practitioner to develop an increased capacity for self-control. Self-control is correlated with improved psychological health in mindfulness practitioners (Bonura & Tenenbaum, 2014). Research demonstrates the wide-reaching benefits of mindfulness practices, including improved psychological health (through reduced stress, anxiety, and depression, and increased satisfaction with life) and improved physical health (reduced blood pressure and cholesterol, improved hormonal profiles). Research with mindfulness exercise practices indicate that the combination of exercise and mindfulness strategies may offer unique psychological and physical benefits above and beyond either meditation training or exercise training alone.

For pregnant women, mindfulness exercise practice may be particularly useful, as it prepares the pregnant woman for both the physical and psychological demands of pregnancy, labor and delivery, and postnatal recovery. The purpose of this article is to briefly review the various forms of mindfulness exercise, and outline basic guidelines for mindfulness exercise training during pregnancy.

Yoga

Yoga practice can be a good adjunct to birthing education, providing an opportunity for gentle physical exercise, mental focus training, and breathing exercises, which can be helpful during labor and delivery. Regular yoga practice during pregnancy can improve both quality of life and interpersonal relationships (Rakhshani, Maharana, Raghuram, Nagendra, and Venkatram, 2010). Yoga also reduces both stress and anxiety in pregnant women (Beddoe, Yang, Kennedy, Weiss, & Lee, 2009; Satyapriya, Nagendra, Nagarathna, & Padmalatha, 2009). Further, yoga is an effective strategy for pain management both during pregnancy (Beddo, Yang, Kennedy, Weiss, & Lee, 2009) and during labor (Chuntharapat, Petpichetchian, & Hatthakit, 2008). A well-rounded prenatal yoga program should include several core components, including meditation training, breathing

continued on next page

Mindful Fitness: Guidelines for Prenatal Practice

continued from previous page

practice, standing poses, and squats. Yoga Alliance, the national registry of yoga teachers, offers a Registered Prenatal Yoga Teacher designation, which indicates a yoga teacher with both training and experience in working with pregnant women. For a more detailed review of prenatal yoga recommendations, including exercises which can be incorporated in childbirth education classes, see Bonura (2014).

Qi Gong

A growing number of people in the west are becoming interested in the practice of Qi Gong. This mindfulness practice, developed in China for maintaining health, consists of gentle flowing low impact exercises which are well suited for even a pregnant beginner. Some of the benefits of engaging in Qi Gong prenatally include a reduction in anxiety among first time mothers (Jeong & Lee, 2006), a reduction in prenatal depression (Lee, Kim & Ahn, 2006; Ji & Han, 2010), decreased physical discomfort during pregnancy as well as a stronger postpartum maternal-infant interaction (Ji & Han, 2010).

As some Qi Gong practices are held in parks or out of doors it is important for the prenatal practitioner to avoid overheating when the weather is warm. The National Qigong Association provides training and certification to teachers and can be a good source for classes in your area.

Tai Chi

Tai Chi is a Chinese martial art without the swift high-impact movements typical of most martial arts. It is practiced as series of upright, slow, graceful, and fluid movements carefully focused upon posture and joint alignment. Tai Chi is very gentle and can be safely started at any stage of pregnancy. As Tai Chi requires neither special clothing nor a mat, and the practice of a series of movements can take as little as five minutes, the practice can be maintained throughout pregnancy and continued by a new parent with limited time for exercise.

Due to hormonal changes during pregnancy, postural stability declines and does not return until as much as two months post-partum (Butler, Colón, Druzin, & Rose 2006). The main focus of Tai Chi is to develop stability while moving, and there is much evidence that the practice of Tai Chi reduces falls (Voukelatos, Cumming, Lord, & Rissel, 2007). Tai Chi can be a helpful exercise modality to improve balance and reduce the incidence of falls during pregnancy.

Considered a form of moving meditation, Tai Chi has been shown to significantly decrease depressive symptoms, including low-mood and sleep disturbance in pregnant

women who had a diagnosis of depression (Field, Diego, Delgado, & Medina, 2013). During the physical and emotional challenges of pregnancy, post-partum and lactation, when medications can only be used to a limited extent, the practice of Tai Chi can be a natural mood stabilizer.

Martial Arts

The martial arts include a variety of practices from the East, most commonly Karate (from Okinawa), Tae Kwon Do (from Korea), and Kung Fu (from China). Generally speaking, the martial arts are training programs designed to train the individual in self-defense, and may include a variety of strategies such as kicking, striking (with hands or feet), grappling, redirection of the opponent's energy, and use of weapons. Technically, Tai Chi is a martial art form practiced as part of combat training; in many current practices, Tai Chi is primarily practiced as an exercise program focused on meditation and individual training, and extensive research has documented the positive effects of Tai Chi on health outcomes.

To our collective knowledge, there are no published articles which investigate the use of other martial arts modalities during pregnancy. Based on the guidelines from the ACSM and ACOG, we offer the following suggestions for prenatal exercise. Martial arts training in its more strenuous forms (such as Karate, Tae Kwon Do, and Kung Fu) is not appropriate during pregnancy for women who do not have prior experience in these activities. However, both the ACSM and ACOG indicate that women who are already fit and regularly engage in activity should be able to continue their current level of physical fitness and exertion during pregnancy, as long as they have a low-risk pregnancy and no contraindications to physical activity. Women who have experience with the martial arts should consult with their obstetrician or midwife to determine whether continued practice is appropriate during pregnancy, and work individually with their instructor to modify and adapt their practice throughout pregnancy and during postnatal recovery. These adaptations would involve being more careful to stretch before and after exercise, possibly wearing a light weight maternity girdle to reduce back strain due to stretching of the round pelvic ligaments, and avoidance of becoming overheated. As well, pregnant women should not spar with other individuals during pregnancy, to avoid risk of trauma to the belly. These recommendations are aligned with ACOG guidance that pregnant women should avoid sports such as ball-sports, horseback riding, and cycling, which may lead to trauma of the belly due to impact or falling. Pregnant women who wish to continue martial arts training during pregnancy should focus on low-impact, individually practiced exercises, such

continued on next page

Mindful Fitness: Guidelines for Prenatal Practice

continued from previous page

as practicing kata or forms (generally, a flowing sequence of moves or body positioning). Future research is needed to better understand both the safety and effects of martial arts training during pregnancy.

Mindful Exercise during Pregnancy: Appropriateness Based on the Individual Woman

The appropriateness of an exercise modality during pregnancy must be determined based on the current health and fitness of the individual woman, as well as prior experience with the exercise modality and any potential contraindications. Experienced practitioners may continue a higher level of activity throughout their pregnancy. New practitioners and women who have not previously engaged in regular exercise should focus on gentle, instructor-guided, low-strain forms of exercise to avoid risk of injury. Mindfulness and meditation training is always appropriate, but breath-holding forms of meditative practice should be avoided during pregnancy. For safety, consider any contraindications to exercise during pregnancy.

Ask your clients to follow the following safety guidelines:

- Review the ACOG patient recommendations at: <http://www.acog.org/Patients/FAQs/Exercise-During-Pregnancy>
- Review the ACSM current comment at: <http://www.acsm.org/docs/current-comments/exerciseduringpregnancy.pdf?sfvrsn=4>.
- Follow standard practice for exercise during pregnancy, such as avoiding any postures where you lie flat on the back in the second and third trimester.
- Hot forms of exercise (for instance, yoga in a heated room, or martial arts training outside during the summer) are contraindicated due to potential risk of overheating, stress on cardiovascular function, etc.
- Avoid undue strain on the joints caused by jumping into positions or placing excessive pressure on joints through extreme range-of-motion or weight bearing.
- Allow time for rest between stretching activities. The hormone relaxin increases flexibility during pregnancy, which may increase the risk for straining or tearing muscles.
- Avoid contact with others and do not engage in activities which may lead to trauma to the belly. For instance, in the martial arts, do not practice sparring during pregnancy.
- Pain and strain are not appropriate. If discomfort continues, the individual should stop and consult with her doctor or midwife prior to further exercise activity.

Gentle practice forms such as tai chi, qi gong, and some forms of yoga are appropriate for pregnant women of all fitness levels.

Summary and Recommendations

Exercise during pregnancy is a key component of supporting both physical and psychological health for the pregnant woman. Less than one-fourth of pregnant women meet minimum exercise recommendations from the ACOG and the ACSM. Offering additional options for pregnant women to engage in regular exercise through mindfulness fitness practices may support more women in remaining active during pregnancy. Childbirth educators can work with mindfulness fitness instructors in their area who have both training and experience with pregnant clients. Future research is needed to better understand the unique benefits of mindfulness fitness during pregnancy and better support childbirth educators in effectively recommending mindful fitness modalities to their students.

References

- American College of Obstetricians and Gynecologists. (2011). *Patient Education FAQ: Exercise During Pregnancy*. Retrieved online on Oct 13, 2015, from <http://www.acog.org/Patients/FAQs/Exercise-During-Pregnancy>.
- Artal, R. Clapp, J., & Vigil, D. (No Date). *ACSM Current Comment: Exercise during Pregnancy*. Retrieved online on October 13, 2015, from <http://www.acsm.org/docs/current-comments/exerciseduringpregnancy.pdf?sfvrsn=4>.
- Beddoe, A. E., Paul Yang, C. P., Kennedy, H. P., Weiss, S. J., & Lee, K. A. (2009). The effects of mindfulness-based yoga during pregnancy on maternal psychological and physical distress. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 38(3), 310-319. <http://dx.doi.org/10.1111/j.1552-6909.2009.01023>
- Bonura, K.B. (2014). Yoga Mind While Expecting: The Psychological Benefits of Prenatal Yoga Practice. *International Journal of Childbirth Education*, 29(4), 49-54.
- Bonura, K. & Tenenbaum, G. (2014). The Impact of Yoga on Psychological Health in Older Adults. *Journal of Physical Activity and Health*, 11, 1334-1341.
- Butler, E. E., Colón, I., Druzin, M. L., & Rose, J. (2006). Postural equilibrium during pregnancy: Decreased stability with an increased reliance on visual cues. *American Journal of Obstetrics and Gynecology*, 195(4), 1104-1108.
- Chuntharpat, Petpichetchian, W., & Hatthakit, U. (2008). Yoga during Pregnancy: Effects on Maternal Comfort, Labor Pain, and Birth Outcomes. *Complementary Therapies in Clinical Practice*, 14, 105 - 115.
- Evenson, K. R. & Wen, F. (2010). National trends in self-reported physical activity and sedentary behaviors among pregnant women: NHANES 1999-2006. *Preventive Medicine*, 50, 123-128. doi:10.1016/j.ypmed.2009.12.015
- Field, T., Diego, M., Delgado, J., & Medina, L. (2013). Tai chi/yoga reduces prenatal depression, anxiety and sleep disturbances. *Complementary Therapies in Clinical Practice*, 19(1), 6-10.
- Physical exercise during pregnancy-physiological considerations and recommendations. *Journal of Perinatal Medicine*, 27(3), 204-215.

continued on next page

Mindful Fitness: Guidelines for Prenatal Practice

continued from previous page

Jeong, S. O., & Lee, E. J. (2006). Effects of a qigong training program on the anxiety and labor pain of primipara. *Korean Journal of Women Health Nursing*, 12(2), 97-105.

Ji, E. S., & Han, H. R. (2010). The effects of qi exercise on maternal/fetal interaction and maternal well-being during pregnancy. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 39(3), 310-318.

Lasater, J. (2000). *Living your yoga: Finding the spiritual in everyday life*. Berkeley, CA: Rodmell Press.

Lee, K. O., Kim, K. R., & Ahn, S. H. (2006). Effects of a qigong prenatal education program on anxiety, depression and physical symptoms in pregnant women. *Korean Journal of Women Health Nursing*, 12(3), 240-248.

Rakhshani, A., Maharana, S., Raghuram, N., Nagendra, H., & Venkatram, P. (2010). Effects of integrated yoga on quality of life and interpersonal relationship of pregnant women. *Quality of Life Research*, 19, 1447-1455.

Satyapriya, M., Hongasanda, N., Nagarathna, R., & Padmalatha, V. (2008). Effect of integrated yoga on stress and heart rate variability in pregnant women. *International Journal of Gynecology & Obstetrics*, 104, 218-222.

Voukelatos, A., Cumming, R. G., Lord, S. R., & Rissel, C. (2007). A randomized, controlled trial of tai chi for the prevention of falls: The central Sydney tai chi trial. *Journal of American Geriatrics Society*, 55, 1185-1191.

Kimberlee Bethany Bonura, PhD, is a prenatal yoga teacher, with 20 years of experience teaching yoga and mindfulness practices. She is an Experience-Registered Yoga Teacher and a Registered Prenatal Yoga Teacher with the Yoga Alliance. She is a faculty member in the Walden University School of Psychology.

Nina Spadaro, EdD is a licensed psychologist with a black belt in Qilin Kung fu, who specializes in children and parent's kung-fu classes using mindfulness activities to foster self-esteem, attention development, anxiety reduction, anger management, increased social interest, and parenting skill development. She is a faculty member in the Walden University School of Mental Health Counseling.

Rives Thornton, MS, LMHCA is a mental health counselor, an instructor in Wu style tai chi and Chinese martial arts, as well as a yoga practitioner. He integrates his martial arts teaching and yoga practice with his interest in promoting mental health as well as treating mental illness. He is in private practice in Bellingham, Washington.

ICEA Prenatal Fitness Coupon (\$50 Value!)

By use of this form, those interested are entitled to a **\$50 discount** toward ICEA's Prenatal & Postpartum Fitness Certification.

Package Will Include:

- Prenatal/Postnatal Fitdecks
- Prenatal Fitness: Exercise During Pregnancy (Patient Handout Booklet)
- Postpartum Recovery DVD
- Exercising Through Your Pregnancy – Dr. James F. Clapp & Catherine Cram, MS
- The ICEA Guide to Pregnancy & Birth

Plus, completing the program (within 6 months of enrolling) will earn you **16 CONTACT HOURS!** For more information on this program, please visit: www.icea.org/content/prenatal-fitness-educator

Please print legibly:

Name _____ Date _____

Street Address _____

City _____ Province/State _____

Country _____ Postal/Zipcode _____

Phone _____ / _____ E-mail Address _____

- I am a current ICEA member – **REQUIRED** (Main office will verify upon receipt)
- I am not a current member – Enclose additional **\$95** membership fee
- Prenatal & Postpartum Fitness Educator Certification Program Materials – **\$225** (Regularly \$275!)

Payment Information

\$ _____ **TOTAL AMOUNT ENCLOSED**

(US Funds – Checks Drawn on US Banks Only – All Fees Nonrefundable and Nontransferable)

Charge my: Visa MasterCard

Card # _____

Exp. Date _____ Security Code _____

Signature _____

Please mail this form with payment info to:

ICEA, 2501 Aerial Center Parkway, Suite 103, Morrisville, NC 27560

Phone 919-674-4183 • Fax 919-459-2075 • www.icea.org



International Childbirth Education Association