

2019

# Increasing Uninsured Patients' Compliance with Return Primary Care Visits

Dorothy Clare Carleton  
*Walden University*

Follow this and additional works at: <https://scholarworks.waldenu.edu/dissertations>

Part of the [Nursing Commons](#)

---

This Dissertation is brought to you for free and open access by the Walden Dissertations and Doctoral Studies Collection at ScholarWorks. It has been accepted for inclusion in Walden Dissertations and Doctoral Studies by an authorized administrator of ScholarWorks. For more information, please contact [ScholarWorks@waldenu.edu](mailto:ScholarWorks@waldenu.edu).

# Walden University

College of Health Sciences

This is to certify that the doctoral study by

Dorothy Carleton

has been found to be complete and satisfactory in all respects,  
and that any and all revisions required by  
the review committee have been made.

Review Committee

Dr. Sue Bell, Committee Chairperson, Nursing Faculty  
Dr. Donna Williams, Committee Member, Nursing Faculty  
Dr. Joan Hahn, University Reviewer, Nursing Faculty

Chief Academic Officer  
Eric Riedel, Ph.D.

Walden University  
2019

Abstract

Increasing Uninsured Patients' Compliance with Return Primary Care Visits

by

Dorothy Carleton

MS, Walden University, 2016

Project Submitted in Partial Fulfillment

of the Requirements for the Degree of

Doctor of Nursing Practice

Walden University

May 2019

## Abstract

Patients who are unable to comply with their health care regimen are almost 3 times more likely to have an adverse health outcome and are more likely to suffer irreversible progression of a chronic disease process. Increasing patient return clinic visits is essential, not only to curtail rapidly rising costs of health care but also to improve patient outcomes. This project focused on an uninsured patient population of a clinic in a rural community in the southeastern United States. The purpose of the project was to conduct a systematic review of the literature and identify the barriers and motivating factors for chronic care return primary care visits among uninsured patients. The theoretical models supporting the project were the health belief model and the chronic care model. A search of scholarly databases resulted in 366 articles meeting the inclusion criteria of peer-reviewed English-language literature published since 2014 that focused on outpatient care among uninsured populations. All identified articles were reviewed, and several interventions emerged as options to increase patient return rates: care transition and coordination services, patient education, patient follow up, pharmacy assistance programs, food assistance programs, and integration of computer-based literacy interventions. The clinic administrators determined that the best option for the site would be implementation of an on-site food program. The findings of this project have potential to create social change in clinics for uninsured in the community by addressing food insecurity and providing patients an incentive to return for care every 6 months.

Increasing Uninsured Patients' Compliance with Return Primary Care Visits

by

Dorothy Carleton

MS, Walden University, 2016

Project Submitted in Partial Fulfillment  
of the Requirements for the Degree of  
Doctor of Nursing Practice

Walden University

February 2019

## Dedication

I would like to take this opportunity to dedicate this DNP Project to my parents, the Rev. Rex M. and Marjorie Gray Carleton. Any success I have had in my life is entirely due to them.

## Table of Contents

Section 1: Nature of the Project .....	1
Introduction.....	1
Problem Statement .....	2
Project Purpose .....	3
Nature of the Doctoral Project .....	3
Significance.....	4
Summary.....	6
Section 2: Background and Context .....	7
Introduction.....	7
The Health Belief Model and the Chronic Care Model.....	8
Relevance to Nursing Practice .....	14
Local Background and Context .....	16
Role of the DNP Student.....	16
Summary.....	17
Section 3: Collection and Analysis of Evidence.....	19
Introduction.....	19
Practice-Focused Questions.....	20
Sources of Evidence.....	20
Analysis and Synthesis .....	23
Summary.....	24

Section 4: Findings and Recommendations.....	26
Introduction.....	26
Findings and Implications.....	27
Recommendations.....	30
Section 5: Dissemination Plan .....	32
Dissemination Plan .....	32
Analysis of Self.....	34
Summary.....	36
References.....	37
Appendix A: Prisma Flow Diagram .....	46
Appendix B: Food Insecurity Questions and Scoring.....	47
Appendix C: Literature Included .....	51
Appendix D: Literature Reviewed.....	54

## Section 1: Nature of the Project

### **Introduction**

As of 2012, 117 million individuals, accounting for half the United States adult population, were diagnosed with at least one chronic health condition (Centers for Disease Control and Prevention [CDC], 2017). Half of those individuals were diagnosed with two or more chronic health conditions (CDC, 2017). The United States spends 71% of its annual \$2.7 trillion annual health care expenditures caring for Americans diagnosed with more than one chronic condition (CDC, 2017). Additionally, persons diagnosed with multiple chronic health conditions must contend with significantly higher out-of-pocket costs to treat their conditions (CDC, 2017). Patients who adhere to their prescribed treatment regimen are almost three times more likely to have a favorable health outcome than those who do not (Jones, Smith, & Llewellyn, 2014). However, an estimated 50% to 60% of all patients fail to adhere to their medications as prescribed (Lam & Fresco, 2015). An estimated 30% of all hospital admissions caused by medication-related issues are the result of nonadherence (Lam & Fresco, 2015).

Failure to return for follow-up care for chronic conditions may be a central factor in the irreversible progression of the disease process (Davis, Baldwin, Hingorani, Dwyer, & Flanagan, 2017). Complications resulting from missed appointments cost the United States healthcare system over \$150 billion annually (Odonkor & Cohen, 2017). Not only do missed appointments adversely affect a clinic's efficiency, but they also result in increased healthcare costs and wasted resources (Shrestha, Hu, & Taleban, 2017). However, the individual burdens and expenses associated with appointment noncompliance are not well

understood limiting the ability to address this issue effectively (Mallow, Theeke, Barnes, Whetsel, & Mallow, 2014). Therefore, research into obstacles preventing patient compliance with return visits is warranted to understand this problem better and design an effective approach to addressing the problem. This clinical practice problem was particularly suited for a systematic review of the literature.

### **Problem Statement**

In the clinic setting, patients are seen for an exacerbation in their chronic disease but do not return for scheduled follow-up visits. The clinical practice problem that required addressing, therefore, was the lack of follow-up visits among the patient population with chronic diseases. This failure in the continuity of care too often results in patients using emergency departments (EDs) as a resource for their primary health care needs, placing a further burden on already overcrowded EDs and increasing the financial strain on the treating facility. Expecting hospital EDs to provide primary medical care to uninsured patients with chronic health conditions is unrealistic in the face of continually rising healthcare costs. Identifying evidence-based approaches to increasing attendance at follow-up appointments for medical care is essential to improve the overall health of patients. The findings of this project are significant for the field of nursing practice as nurse practitioners (NPs) who serve as primary care practitioners are unable to provide proactive care for their patient population. It was imperative that this project identified factors that may increase patient appointment compliance in the primary care setting so that recommendations for improving clinic processes and practices can be presented to the area's free primary care clinic.

### **Project Purpose**

The purpose of this doctoral project was to uncover evidence-based methods to address the gap-in-practice presented by patient nonadherence to follow-up care. The practice-focused questions that I used to guide this doctoral project were:

1. In uninsured patients located in a community with a free primary care clinic, why do the patients fail to return as scheduled for follow-up of their chronic health conditions?
2. What would motivate uninsured patients to return consistently as scheduled to ensure continuity with the care of their chronic health conditions?

This doctoral project has the potential to address the gap-in-practice created by indigent patients failing to return as scheduled by identifying factors behind missed follow-up clinic visits and recommendations for how to correct this pattern of noncompliance. Appropriately structured, the measures that I identified in this doctoral project could be implemented in other outpatient settings, thereby improving continuity of care in other clinics that would also result in improved patient outcomes.

### **Nature of the Doctoral Project**

This project was a systematic review of the scholarly literature related to noncompliance with clinic follow-up visits. A substantial body of evidence exists supporting the importance of continuity of care. DuGoff, Bandeen-Roche, and Anderson (2016) demonstrated the relationship between consistent follow-up with a known provider and decreased adverse outcomes in a study involving 1,600 older adults diagnosed with diabetes and at least one other chronic condition. The relationship between continuity of care and

health care costs was further demonstrated in a retrospective cohort study in patients with chronic obstructive pulmonary disease, type 2 diabetes, and congestive heart failure (Hussey et al., 2014). Maarsingh, Henry, van de Ven, and Deeg (2016) demonstrated the association between decreased continuity of care and increased mortality risk in a longitudinal aging study involving 1,712 individuals over a 17-year period. In a study involving 47,433 patients treated for hypertension, hypercholesterolemia, diabetes, or their associated complications, consistency with medical care was inversely related to all-cause health care costs, cardiovascular events, and cardiovascular mortality (Shin et al., 2014). While these data supported the connection between lack of continuity of care and less favorable patient outcomes, none of these studies involved uninsured patients in an indigent care setting.

As a result of this project, I have developed recommendations for an indigent primary clinic to improve continuity of care among their uninsured patients. I conducted a targeted review of the scholarly literature to evaluate the research relevant to the practice setting and the specific patient population. After a critical appraisal of the scholarly articles, selected methods that had shown to be effective in improving patient compliance with follow-up care were incorporated into an evidence-based recommendation for interventions to be developed and implemented at the indigent care clinic. In this doctoral project, I addressed the gap-in-practice that exists between the current state of patient noncompliance with follow-up care and optimal adherence and its associated improved patient outcomes.

### **Significance**

There are a number of stakeholders who will be impacted by addressing this local problem. First and foremost are the indigent patients whose disease processes will be

brought under better control and whose risks for long-term complications will be significantly reduced. The patients' caregivers and family members are also included as stakeholders as they are the ones whose lives are negatively impacted as a result of the patients' disease exacerbations and deteriorating health status. Other stakeholders of this problem include the clinic staff of indigent care clinics who must spend extra time and resources to treat a patient population whose chronic diseases are poorly controlled. The NPs providing care for this patient population are also stakeholders as they are being prevented from providing optimal disease management for this patient population focusing instead on treating exacerbations and complications caused by inconsistent patient follow-up. The support staff of these clinics are also stakeholders in this issue as these patients take longer to process and require a higher level of care. The funding organizations are significant stakeholders for this problem as they are responsible for meeting the operational costs of the clinic. Addressing the problem of inconsistent patient follow-up will ensure the donors' contributions to the clinic are used most effectively in providing free primary medical care to uninsured members of the community.

The practice of NPs working in outpatient primary care settings will benefit from this doctoral project through the identification of methods determined to be effective in increasing patient compliance with scheduled return visits. Improving patient follow-up will allow NPs to provide optimal disease management care and ensure patients maintain an optimal level of health free of chronic disease exacerbations and complications from lack of care continuity. It is likely that measures determined to be effective in increasing overall

patient compliance with care may be relevant for improving compliance with follow-up visits.

Potential implications for positive social change include introducing healthy behavior patterns to the clinics' patient population. Additionally, as the patients learn effective health management skills, it is hoped that their family members and caregivers will learn from their experiences and also adopt a healthier pattern of chronic disease management.

### **Summary**

The numbers of patients diagnosed with chronic health conditions and the costs associated with providing medical care for these individuals is increasing exponentially. Identifying the motivating factors behind patient noncompliance with follow-up visits is essential for this problem to be addressed. Through appropriate interventions, I project that patient health outcomes will be improved, while the burden of care faced by their caregivers will be reduced. Additionally, the practice of NPs will benefit by having a patient population adherent to their scheduled return clinic visits, thereby allowing for the provision of optimal chronic disease management. The potential implications of this doctoral project include the ability to incorporate the interventions in other outpatient primary care settings providing a significant positive social change.

## Section 2: Background and Context

### **Introduction**

The practice problem for this DNP project was the lack of adherence to follow-up appointments in the indigent setting. The practice-focused questions that I used to guide this doctoral project were:

1. In uninsured patients located in a community with a free primary care clinic, why do the patients fail to return as scheduled for follow-up of their chronic health conditions?
2. What would motivate uninsured patients to return consistently as scheduled to ensure continuity with the care of their chronic health conditions?

Focusing on these questions, the purpose of this project was to conduct a systematic review of the scholarly literature. The data I retrieved from the systematic review was used to identify methods to increase patient return to the clinic.

To support the process of evaluating this issue and recommending effective interventions, I selected a model best suited to identifying the motivating factors behind patient health behavior. The health belief model (HBM) was created in the 1950s by social psychologists in the United States Public Health Service to anticipate patient health-promoting behaviors and has been applied to a variety of diseases and settings (Skinner, Tiro, & Champion, 2015). I determined that the HBM was an effective tool to support this doctoral project. Patient adherence to their chronic care clinic visits directly impacts nursing practice as NPs must practice reactive care, rather than proactive care. Correcting this pattern of noncompliance will improve the level of care NPs provide to their patients,

creating a positive impact on nursing practice and improving patients' health. In my role as a DNP student, I am strategically situated as an observer in the project setting, a position that allows me to consider the clinic operations through the trained eyes of an NP while maintaining the impartiality of an observer.

### **The Health Belief Model and the Chronic Care Model**

The HBM has been used for over 50 years as a tool to determine which health behaviors people are most likely to complete (Skinner, Tiro, & Champion, 2015). The HBM purports that people are more likely to engage in health behaviors if they believe they are at risk of developing a condition, that the disease or condition could have serious consequences, that a particular behavior could reduce their risk or the severity of the disease, that they will reap benefits from engaging in a health behavior, and if they perceive the benefits of action outweigh the risks of inaction (Skinner et al., 2015). Additionally, the HBM applies to individuals who are genetically predisposed or whose health and lifestyle risk factors increase the likelihood that they will develop a condition (Skinner et al., 2015). Clinicians use the HBM model to assess the patient's perceived susceptibility of risk for developing a condition (Skinner et al., 2015). Perceived severity represents the individual's belief regarding the seriousness of developing a disease or choosing not to seek treatment and any social consequences that will occur, inability to work or participate in activities, feeling stigmatized or ostracized because of their condition, or damaging their relationships with others (Skinner et al., 2015). The perceived threat is the relationship between susceptibility and severity; if the person does not perceive susceptibility or severity, then a threat that is present may not be recognized (Skinner et al., 2015). However, if

susceptibility and severity are both determined to be elevated, then perceived threat is similarly increased (Skinner et al., 2015). Perceived benefits describe the belief that an advantage or positive result will occur if a recommended action is taken to reduce the threat or decrease risk factors (Skinner et al., 2015). While some health-related benefits are tangible, such as money saved by not smoking or reducing the number of prescriptions required to control their condition, others are social, such as feeling less stigmatized by maintaining a healthy weight and a more acceptable physical appearance or not smoking and being relegated to designated smoking areas (Skinner et al., 2015). Perceived barriers are those obstacles the individual believes will result in negative consequences for engaging in the health behavior (Skinner et al., 2015). Perceived barriers may include the costs of purchasing their prescription medications, the time required to prepare meals at home as opposed to the convenience of fast food, or the fear of being teased by their friends who continue to engage in unhealthy behaviors (Skinner et al., 2015). Finally, cues to action are internal or external motivators that prompt the patient to engage in a behavior (Skinner et al., 2015). For example, an individual may be internally motivated by a symptom or externally motivated after hearing of a disease in the popular press (Skinner et al., 2015). Using the patient's perceptions as the basis of the HBM lends credence and strength to the structure provided by this model.

The validity of the HBM has been demonstrated through the universality of its application, making it an ideal model for this doctoral project. In a systematic review by Jones, Smith, and Llewellyn (2014), 78% of the 18 studies, reported significant improvements in patient adherence with 39% showing moderate to substantial effects when

health behavior interventions were based on the HBM. A cross-sectional study of hypertensive patients revealed a direct correlation between higher perceptions of susceptibility, severity, and benefit and increased rates of adherence when compared to those with lower rates of perceptions (Kamran, Ahari, Biria, Malepour, & Heydari, 2014). The HBM was used to demonstrate the ability to correlate injury prevention behavior in high school students located in Shanghai, China (Cao, Chen, & Wang, 2014). After following the students for 1 calendar year, the participants' perceptions of benefits and seriousness were determined to significantly impact health behavior with perceived susceptibility and cues to action being the second and the third most important elements (Cao et al., 2014). The HBM was also used in a study involving 1,101 participants to demonstrate a correlation between the preventive health behavior of colorectal cancer screening with the participants' perceptions (Sohler, Jerant, & Franks, 2015).

Vaccination compliance is increasingly becoming a significant public health concern with herd immunity no longer a guarantee (Lewis et al., 2015). In a recent sampling of United States Air Force basic training recruits, seroprevalences for measles, rubella, and mumps were insufficient to ensure herd immunity (Lewis et al., 2015). However, recent studies involving the HBM have shed light on the relationship between vaccination rates and the perceptions of adults and the caregivers of infants and young children (Wagner et al., 2017). In a study involving 619 caregivers of children between the ages of 8 months and 7 years of age, perceived safety and vaccine necessity was significantly associated with pneumococcal vaccination rates (Wagner et al., 2017). In a second study involving 2,007 students, increased perceptions of barriers with decreased perceptions of general or specific

benefits were more likely to not receive the human papillomavirus vaccination (Donadiki et al., 2014). Finally, in a study involving 1,377 adult patients exposed to an 8-month influenza vaccine campaign, the HBM demonstrated that addressing the participants perceived benefits and barriers improved vaccination behavior (Jones et al., 2015).

The HBM has also shown effectiveness at determining health behaviors of underage children (Walker, & Jackson, 2015). In a study involving eight focus groups composed of 42 children from second to fifth grade, perceptions of benefitting from improved esthetic appearance along with the perception of barriers and access to toothbrushes were determining factors in oral hygiene compliance (Walker, & Jackson, 2015).

Finally, the HBM has demonstrated the likelihood of patients adhering to their prescribed medications in a cross-sectional study of hypertensive patients from China revealing that increased levels of perceived susceptibility, self-efficacy, and cues to action accompanied with a decreased level of perceived barriers were significantly related to improved adherence with their antihypertensive medications (Yue, Li, Weilin, & Bin, 2015).

A second model that was well-suited to this doctoral project was the chronic care model (CCM), which was developed by Wagner and researchers at the MacColl Institute for Healthcare Innovation (Marcelli et al., 2017). The CCM was designed based on the literature that identified successful system change and practices that improved the care of patients with chronic health conditions and from the feedback and consensus of experts in their field (Sendall, McCosker, Crossley, & Bonner, 2017). The CCM transforms daily care measures for patients with chronic health conditions from reactive and acute measures to planned, proactive, and population-based care (Sendall et al., 2017).

By incorporating patient self-management support, community resources, health care organization support, clinical information systems, decision support, and the organization of the team, the CCM ensures effective care of the chronic patient (Marcelli et al., 2017). The first two of these components, community resources, and patient self-management support, focus on the patient and strive to empower patients to independently manage their health care needs and optimize their access to healthcare (Sendall et al., 2017). The final four, healthcare organization support, clinical information systems, decision support, and organization of the team, are strategies that aim to restructure the care and interdisciplinary teams, not only to better meet the individual patients needs but to improve the practice culture as it affects chronic disease management (Sendall et al., 2017).

The CCM was used in a retrospective study lasting 2 years involving 2,354 primarily uninsured, Hispanic hypertensive patients (Turner et al., 2018). Incorporating each of the six elements of the CCM, the intervention included a revision of the electronic medical record, establishing a registry of patients with diabetes mellitus, the creation of hypertension treatment protocols, education of the team, performance feedback, and case management (Turner et al., 2018). While the patients in the study demonstrated significantly improved control of their systolic blood pressure readings, the improvement took three to four years to realize indicating the financial rewards for this particular intervention may not be immediately apparent (Turner et al., 2018).

The CCM was also used in a quality improvement project designed to improve glycemic control by supporting diabetes self-management in a free clinic in the southeastern United States (Russell, Vess, Durham, & Johnson, 2017). Following an intervention

incorporating each of the six elements of the CCM, mean fasting blood glucose readings decreased from 8.8% to 14.3% in comparison to the pre-intervention months (Russell et al., 2017). Both the HBM and the CCM were essential theoretical support for my work on this doctoral project.

Specific terms were used in this doctoral program and require clarification.

*Patient:* The uninsured individuals that seek medical care at the primary care outpatient clinic of this setting inclusive of patients ranging in age from 30 to 64 years and excludes patients age 65 years and older insured by Medicare.

*Faith-based organization:* The organization that provides the funding that allows the project primary care clinic to provide free medical care based on a motivation driven by their beliefs to create a positive social change in their community.

*Compliance and adherence:* The terms used interchangeably to indicate the patient is following the treatment plan as established by the NP.

*Follow-up treatment:* The behavior or action prescribed by the NP for the patient that includes returning for appointments or laboratory tests, maintaining blood glucose, blood pressure, or weight logs and bringing them to clinic appointments, taking their medications as prescribed, or any other health care behavior as directed by the NP.

*Appointment:* Initial appointment will be used to identify the patient's first appointment at the clinic. And finally, follow-up appointment will be used to describe any appointment following the initial office visit at a time interval specified by the NP.

### **Relevance to Nursing Practice**

Despite the evidence supporting improved patient outcomes resulting from patient adherence to their prescribed treatment plans, less than half of all patients comply with their prescribed health care plan (Lam & Fresco, 2015). Almost half of all deaths from asthma occur as the result of nonadherence to the treatment regimen (Andersson, Garfield, Eliasson, Jackson, & Raynor, 2014). Nearly one-third of all medication-related hospitalizations occur because of patient noncompliance (Lam & Fresco, 2015). Additionally, nonadherence increases the risk of death in diabetes by 80% and results in a 3.8-fold increase in the risk of death the first year following a heart attack (Andersson et al., 2014). However, patients whose conditions cause noticeable symptoms are more adherent than their asymptomatic counterparts (Andersson et al., 2014). This type of health behavior was also demonstrated in a population-based cohort study lasting 2 years using the medical records of 176,516 children between the ages of 5 and 18 years who were diagnosed with asthma (Engelkes, Janssens, Jongste, Sturkenboom, & Verhamme, 2016). A direct correlation was shown between the severity of the asthma and adherence with treatment and follow-up (Engelkes et al., 2016). Adherence to recommended health behaviors is shown to vary among recommendations with dietary and lifestyle recommendations more frequently disregarded than prescription medication instructions (Andersson et al., 2014). Such disregard for prescribed treatment regimens results in an adverse impact on the practice of NPs, preventing them from providing optimal patient care aimed at controlling their patients' chronic health conditions.

Patients who miss more than one follow-up clinic visit in 1 year are more likely to have higher hemoglobin A1c (HgbA1c) and lipid levels, increased body weight, increased blood pressure readings, higher depression scores, and take more medications (Mallow, Theeke, Barnes, Whetsel, & Mallow, 2014). While patient noncompliance may be an elective behavior, the failure to return for follow-up care results in health disparities further increasing the incidence of health status exacerbations and complications in different patient groups (Mallow et al., 2014). Patient populations located in geographically remote locations are more likely to be underinsured or uninsured and defer health care behaviors due to the costs involved (Mallow et al., 2014). Additionally, rural populations are less likely to participate in preventive health screenings (Mallow et al., 2014). Early follow-up visits are associated with increased patient adherence (Davis, Lin, Yu, Balkrishnan, & Feldman, 2014). Therefore, identifying and implementing measures effective at motivating this patient population to adhere to their prescribed treatment regimen is essential.

Previous research has shown decreased follow-up rates in poorly educated, low-income minority patients (Rosati, Ables, & Warren, 2017). Indigent patients have been identified to face obstacles to follow-up care that is unique to their socioeconomic status (van Zyl et al., 2015). Even when the management approach is identical, and the medical care for indigent patients is provided at no cost, indigent patient populations demonstrate nearly double the rate of noncompliance with their treatment regimen when compared to their insured counterparts (Thomas et al., 2017).

The doctoral project presented here addressed the nursing practice issue of patient noncompliance, and the subpar patient outcomes that result from skipped or missed follow-

up visits among indigent patients. Identifying a method to motivate patients to attend free medical appointments was the first step in controlling these patients' chronic health conditions and curtailing the burden their noncompliance places on the community's resources. Research was conducted to identify the motivating factors behind the behavior pattern that allowed corrective measures to be developed and implemented.

### **Local Background and Context**

The rates of uninsured and un- or underemployed individuals and households below the poverty level in the community of the DNP project are significantly higher than the rest of the United States, making this a medically underserved region. Adding further stress to the health care resources in this area is the precarious status of the two area hospitals. Both hospitals were forced to close several years ago and have only recently reopened. Despite the availability of a free primary care clinic located in the community, uninsured patients often fail to use the clinic for their primary care needs presenting instead to the hospitals' EDs. This inappropriate use of medical resources is increasing the financial strain on these medical facilities and jeopardizing their continued fiscal viability. Therefore, addressing the gap-in-practice was essential, not only to enable the uninsured patients in this community to receive primary care in the appropriate setting and at the appropriate intervals, but also to decrease complications due to inadequate chronic care management.

### **Role of the DNP Student**

I first became aware of the community's indigent clinic while performing clinical rotations for my Master of Science in Nursing, Family Nurse Practitioner degree. Even after completing the clinical hours required for my degree, I continued to volunteer my services

as an RN as I feel this clinic fills a critical gap in the healthcare network of this community. After completing my degree and becoming certified as an NP, I continued to volunteer as an NP to support this clinic and its patient population. My involvement with this community predates the primary care clinic as I was previously employed as an RN in the ED by both of the community's hospitals.

As an RN, I have spent the past 30 years working in EDs located in inner-city, rural, county, and private facilities. Through that experience, I quickly came to realize that certain individuals perceive the ED as their primary care site. However, I also realized that these same individuals routinely ran out of their prescription medications, did not have the benefit of preventive health care measures, were treated by a different practitioner at each visit, and had a much higher rate of complications and exacerbations requiring aggressive treatment and resulting in a more rapid deterioration of their health than their counterparts. When considering the commonalities among these patient populations, however, a common denominator was identified; a generational approach to healthcare. Certain individuals have been taught at an early age to address their health care concerns in the outpatient setting with one primary care practitioner while other persons experience healthcare interventions as a reaction to adverse symptoms with care provided in an ED. Therefore, an evidence-based approach must be designed to positively impact the behavior of this patient population.

### **Summary**

Evidence from the scholarly literature was presented to support the need for the doctoral project and the theoretical approach to be used in the project. The local context of the project was described, and specific practice-focused questions were formulated to focus

the systematic review of the literature and address the gap-in-practice identified by this doctoral project. Section 3 describes the methodology to be employed in the conduct of this project.

### Section 3: Collection and Analysis of Evidence

#### **Introduction**

The purpose of this project was to identify measures designed to improve follow-up adherence in the indigent patient at a privately funded primary care clinic. The practice-focused questions for this project were designed to determine how to promote the return of patients for their medical care as scheduled. While logic would suggest that patients with chronic health conditions would comply with a treatment regimen designed to ensure their disease processes are optimally controlled, and exacerbations and complications are prevented, the data reveal a much different reality. Therefore, it was essential to identify answers to these practice-focused questions.

I used scholarly literature as the source of information into the issue of patient noncompliance. Specifically, I conducted a review of the scholarly literature to identify research that has been performed on underinsured or uninsured patients and measures taken to address noncompliance with their return primary care visits. However, less than 9% of individuals in the United States were without continuous insurance for the calendar year 2016 (United States Census Bureau, 2017), resulting in much of the research conducted in the United States being focused on the health behavior of insured individuals. Therefore, I included articles on research conducted in regions of the world that do not have high rates of insured individuals. While the behavior of individuals from other countries may be affected by cultural influences not found in the United States, the inability to afford medical care creates disparity in health care regardless of the setting.

### **Practice-Focused Questions**

Patient adherence to the prescribed return visits bears a direct relationship to patient outcomes. However, research has demonstrated that even when care is available, uninsured patients are nearly twice as likely to be noncompliant with their visits (Thomas et al., 2017). This lack of compliance results in exacerbations in the patients' chronic diseases and increases the burden on the patients and their caregivers. The practice-focused questions that I used to guide this doctoral project were:

1. In uninsured patients located in a community with a free primary care clinic, why do the patients fail to return as scheduled for follow-up of their chronic health conditions?
2. What would motivate uninsured patients to return consistently as scheduled to ensure continuity with the care of their chronic health conditions?

My focus for this DNP project was to create evidence-based recommendations to improve patient compliance with their scheduled follow-up clinic visits.

### **Sources of Evidence**

Sources of evidence for this DNP included material from the scholarly literature, specifically, literature regarding follow-up care with uninsured patient populations. While a significant amount of research was available, much of it focused on insured patients of a more stable socioeconomic class. Although the issue of follow-up adherence transcends all socioeconomic levels, priorities are different among individuals who lack an income able to cover their cost of living, healthy meal choices, safe housing, and reliable transportation. This class disparity renders motivators that work with one set of individuals being

ineffective in the other group. Researchers explored various motivators for attending return visits such as charging the patient a percentage of the overall cost of a missed appointment or requiring a nonrefundable, fixed deposit that is either applied to the charge for the appointment or forfeited if the patient fails to attend (Aggarwal, Davies, & Sullivan, 2016). However, conclusive evidence supporting the effectiveness of financial incentives is lacking, and financial penalties disproportionately affect patients with limited incomes (Aggarwal et al., 2016). Therefore, I reviewed the scholarly literature to gain insight into the motivating factors for return clinic visits in this patient population and to identify evidence retrieved from research in similar practice settings or with similar patient populations. While an abundance of research evidence had been published in the current literature on improving patient follow-up in primary care clinics in the United States, the vast majority of the research was conducted in practice settings in which payment was required, either through an insurance company or by the patient out-of-pocket. Therefore, to the extent possible, I focused the literature review on settings in which medical care was provided at no cost to the patient.

The evidence I collected from the scholarly literature bore a direct relationship to the purpose of this doctoral project, to positively impact patient compliance with follow-up visits. Should recommended effective methods to promote primary care return visits be implemented in this practice setting by the administrative board, not only will adherence to the treatment plan be improved, but patient outcomes will improve, the indigent clinics will function more efficiently, and NPs will be able to proactively treat their patients rather than reacting to complications caused by noncompliance with the treatment plan. Therefore, it

was essential that I identified evidence to answer the practice-focused questions of this doctoral project.

### **Published Outcomes and Research**

Google Scholar, PubMed, MeSH, Medline, and ProQuest were each accessed for research pertinent to the project question. By searching these databases, I had access to peer-reviewed articles specifically addressing my clinical practice questions. Additionally, I engaged in snowballing, the process of researching the reference lists of the articles I select for inclusion in my DNP project.

Key search terms included: *follow-up care*, *patient follow-up*, *compliance*, *patient compliance*, *adherence*, and *patient adherence*. Additionally, to identify articles specific to the patient population of this DNP project, I used the terms *indigent*, *uninsured*, and *underinsured* with and without patient as a descriptor. I limited the data retrieval from the scholarly literature to the previous 5 years to prevent outdated research from being included and to ensure that the settings reflected current standards in primary care practices. While an abundance of material was present in the scholarly literature regarding patient follow-up in the healthcare setting, little of the research had focused exclusively on improving patient follow-up in the indigent patient population. I completed an exhaustive review of the evidence to identify material appropriate for the population addressed by this doctoral project.

Although the United States is a developed country, many of the challenges faced by underinsured or uninsured patients are similar to those faced by persons residing in less developed regions of the world. Therefore, I included research conducted on indigent

patient populations in other areas of the globe. By limiting the selection to scholarly publications, the material was that which had been generated by experts in their fields and subjected to the peer-review process before publication in a journal. Before any work began on the project, the project was first approved by Walden University's Institutional Review Board.

### **Analysis and Synthesis**

The evidence I collected for this doctoral project was taken from my review of articles from scholarly literature and the suitability of the evidence to the practice setting, the patient population, and the clinical practice problem. I excluded studies conducted in clinics in which the patient population pays for their services and included studies that focused on primary care of lower-socioeconomic, medically underserved patients and rural geographic areas without public transportation.

As the scholarly literature was available online, data retrieval occurred virtually rather than as a series of print articles. As I identified potential material for inclusion in the literature review, I determined the qualifications of the authors, how and from whom funding was obtained, and the location of the publisher. Additionally, I categorized the studies by design, the significance of the results, the measures of validity, the sample size, and the identification of methodological limitations. Finally, I determined whether or not the material had been cited by others provided insight into how the material had been used by others as well as identified other material potentially beneficial to this search. I then organized the literature to indicate the level of evidence as well as the quality of that evidence. Appendix C provides a review of the studies in this DNP project. Using Melnyk

and Fineout's seven levels of evidence hierarchy, the articles were ranked from Level 1, the highest level of evidence to Level 7, the lowest level of evidence based on expert opinion (Melnyk & Fineout cited in Mick, 2016). Accordingly, the articles in this DNP Project included one Level 2 article, one Level 3 article, two Level 4 articles, and one Level 7 article. Relying on the Melnyk levels of evidence criteria provided the ability to differentiate between critically appraised evidence and background information not supported by scientific research. Evaluation of the literature based on the Melnyk levels of evidence criteria provided the ability to differentiate between critically-appraised evidence and background information not supported by scientific research.

As with any topic, I expected that gaps in the current literature would exist as well as strengths and limitations of the identified material. Identification of these issues not only served to support the inclusion of data in my DNP project but to highlight the need for ongoing research into the topic as well. Finally, following the identification and analysis of the studies relevant to my topic, I provided a list of recommendations that would address the gap in practice of patients failing to adhere to their treatment regimen.

### **Summary**

The purpose of this project was to identify methods that would improve patient compliance with their prescribed follow-up care to improve patient outcomes. I designed practice-focused questions for this project to determine what could be done by the clinic to encourage and support the uninsured patients to return for chronic care visits. Additionally, by relying on material retrieved from studies published in the scholarly literature, the resulting product included evidence-based recommendations for the clinic to consider for

addressing the problem. Following the approval of this doctoral project by Walden University's IRB (approval number 10-18-18-0474060) evidence collection and analysis began with the ultimate goal of positively impacting patient outcomes in this chronically underserved patient population.

## Section 4: Findings and Recommendations

### **Introduction**

Patients who fail to return for follow-up care are at an increased risk of adverse health outcomes. However, uninsured patients are almost twice as likely to be noncompliant with their medical appointments, even when care is available (Thomas et al., 2017). As a result of this noncompliance, providers for this patient population are unable to treat their patient population proactively. The practice-focused questions that I used to guide this doctoral project were:

1. In uninsured patients located in a community with a free primary care clinic, why do the patients fail to return as scheduled for follow-up of their chronic health conditions?
2. What would motivate uninsured patients to return consistently as scheduled to ensure continuity with the care of their chronic health conditions?

Guided by these questions, the focus of this doctoral project was to conduct a systematic review of the scholarly literature. Evidence for this DNP project included material taken from the scholarly literature that focused on improving compliance in the uninsured patient population. Data retrieval occurred virtually through scholarly internet sources using a PRISMA Flow Diagram to organize the relevant material as detailed in Appendix A. After restricting the information to material published since 2014 that focused on outpatient settings serving uninsured and underserved patients, I identified a total of 366 articles. Appendix C provides a detailed breakdown of the review of the 366 studies with six determined to be pertinent to this DNP Project, 24 identifying interventions not

financially feasible in the indigent care setting, 36 identifying barriers to follow-up but failing to provide a solution, 17 focusing on patients with insurance, and 284 articles otherwise not pertinent to the topic at hand.

### **Findings and Implications**

When I restricted data retrieval to articles that focused on appointment compliance for uninsured patients in the outpatient setting, a common theme of food insecurity as an impediment to patient follow-up was identified. Forty-eight million people in the United States live in food-insecure households (Katz, 2016). Food insecurity exists when the individual or household does not have reliable access to an adequate supply of nutritious food (Wetherill, McIntosh, Beachy, & Shadid, 2018). Disease management is negatively impacted by food insecurity resulting in poorer patient outcomes (Wetherill et al., 2018). The association between food insecurity and patient adherence to the treatment plan was relevant this doctoral project.

Vancouver Infectious Diseases Centre chose to address the issues of hepatitis C virus infection and food insecurity by issuing food coupons to redeem at community pop-up clinics (Alimohammadi et al., 2018). Of the patients who presented for hepatitis C virus testing, 100% redeemed their voucher for a free meal indicating that food incentivization may be an effective method of improving clinic appointment attendance (Alimohammadi et al., 2018).

Boston Medical Center emergency department staff and providers screen all patients for hunger (Katz, 2016). Patients determined to be in need of food support are provided a prescription from the provider that allows them to receive food from the Preventive Food

Pantry (Katz, 2016). Boston Medical Center opted to use a provider's prescription as the mechanism to initiate patient inclusion in the food bank as the provider's order removes the stigma associated with being hungry and poor (Katz, 2016). Additionally, the Preventive Food Pantry and primary care providers are housed in the same facility allowing for concurrent patient follow-up and food supplementation (Katz, 2016).

The University of Oklahoma also created a food pharmacy to address the issue of food insecurity adversely impacting patients' health status (Wetherill et al., 2018). Similar to the Boston Medical Center's program, providers introduced patients to the OU Food Pharmacy through a prescription (Wetherill et al., 2018). However, the OU Food Pharmacy takes their program one step further by creating medically-tailored food packages designed by a dietician that also include curriculum addressing nutritional information and recipe cards (Wetherill et al., 2018). In the pilot study, all of the OU Food Pharmacy patients were given a diabetes, prediabetes, hypertension, and/or hyperlipidemia food package(s) (Wetherill et al., 2016). Additionally, the majority of the participants reported being food insecure and having to choose between medications and food at least once during the preceding year (Wetherill et al., 2018). While mean food insecurity did not change, among those patients diagnosed with hypertension who had used the food pharmacy at least four times, diastolic blood pressure was significantly improved (Wetherill et al., 2018). While diastolic blood pressure is only one of many health measurements, hypertension is a significant risk factor for many adverse cardiovascular events (Rapsomaniki et al., 2014).

Food insecurity has also been associated with an increase in missed appointments and noncompliance among HIV patients receiving free antiretroviral therapy (ART),

resulting in an increase in adverse health outcomes (Whittle et al., 2016). Africa, in particular, struggles with widespread food insecurity and high rates of HIV infection (Maluccio, Palermo, Kadiyala, & Rawat, 2015). In a study involving 640 ART-naive HIV/AIDS patients living in Uganda, over a 12-month period, food assistance substantially decreased the number of self- and health care provider-reported HIV-related symptoms as well as increased overall physical health scores (Maluccio et al., 2015). In a second study focusing on HIV patients in Honduras who had demonstrated suboptimal adherence to their treatment regimen, monthly household food baskets with nutritional education decreased the number of missed clinic appointments and self-reported missed doses of ART (Martinez et al., 2014). Additionally, on-time prescription refills increased by 19.6% within the first 6 months of the intervention (Martinez et al., 2014).

Despite the commonalities found between food insecurity and lacking health insurance, relatively little research was available addressing these two interconnected issues. While the research on these topics did indicate that addressing food insecurity also addressed patient adherence to the treatment plan, each of the five studies in this doctoral project were conducted in a specific locale using resources unique to that area (Alimohammadi et al., 2018; Katz, 2016; Maluccio et al., 2015; Martinez et al., 2014; Whittle et al., 2016). This limitation raises the concern that the success of these programs may not apply to other settings. Additionally, the interventions in Boston and Oklahoma were funded by large organizations while the interventions in Africa were government-funded projects.

The implications of addressing food insecurity as a means to improve patient compliance have implications beyond improving the individual patient's overall health. Food insecurity is a concern of the household, not just the patient with the chronic health condition. By providing nutritious food supplementation, the other members of the home will reap the benefits of decreased food insecurity and improved nutrition. Additionally, by incorporating nutritional foods into the household members' diets, a pattern of healthful food choices will be supported that will serve to create a healthier populace.

### **Recommendations**

Based on the material identified through the literature review, food assistance interventions are effective at improving patient follow-up. Therefore, I designed a food assistance program for use in the outpatient clinic setting providing primary care to uninsured patients. Following the conclusion of this DNP Project, I am recommending that The Food Box Rx program be implemented in the indigent care clinic that served as the clinical site for the project.

### **Strengths and Limitations of the Project**

A strength of this doctoral project is the success of similar food assistance programs in the United States as well as in Uganda and Honduras. Each of these interventions identified that the provision of food positively impacted patient follow-up with their treatment plan. A limitation of the project is that following a thorough search of the scholarly literature, I only found six articles in which food interventions were used to address patient follow-up. However, I found no studies in which food interventions were unsuccessful in addressing patient adherence to the treatment plan, it is possible that the

dearth of information reflects the small amount of research conducted on this topic, rather than the inability of this intervention to improve patient follow-up.

## Section 5: Dissemination Plan

### **Dissemination Plan**

As a result of the dissemination of my findings, I expect that the organization will implement the Food Box Rx Program plan I designed for the free outpatient primary care clinic. In addition to the free medical care, the funding organization for the clinic also supports a community service center that provides assistance with employment opportunities, living expenses, showers, new clothing, and a food pantry. However, at present, the primary care clinic does not coordinate their services with the other services provided by the funding organization. While food donated to the food pantry includes day-old bakery items, the food pantry also receives a steady supply of canned fruits and vegetables. Additionally, each summer and fall, the food pantry receives donations of fresh produce from area gardeners as well as sporadic donations from overstocked grocers throughout the year. While the food pantry does not typically receive donated proteins, providing food boxes of fresh and canned fruits and vegetables as well as the healthier bakery items would enhance the nutritional content of the patient's meals as well as, at least partially, alleviate the food insecurity experienced by the patient and their household. Therefore, the Food Box Rx intervention will be implemented to coordinate the efforts of the primary care clinic and the food pantry and enhance the nutritional status of patients' diets, which may also improve patient follow-up in this patient population.

For all patients presenting to the clinic, household food insecurity will be assessed by a nurse practitioner using the United States Household Food Security Survey Module: Six-Item Short Form (United States Department of Agriculture, 2017). Appendix B contains the

Six-Item Short Form developed by researchers at the National Center for Health Statistics in conjunction with Abt Associates Inc. to identify households where food insecurity exists (United States Department of Agriculture, 2017). Background information on the Six-Item Short Form, the U.S. Household Food Security Survey Module: Six-Item Food Security Module with instructions, and instructions on Coding Responses and Assessing Households' Food Security Status are provided in Appendix B. The nurse practitioners will use this information to determine whether or not the patient is in a food-insecure household and eligible for the Food Box Rx intervention. Each patient identified to be food insecure will receive a food box at the conclusion of their clinic appointment as well as a prescription from the nurse practitioner enabling them to receive monthly food boxes for their households. The prescription from the nurse practitioner will be signed and dated by the provider and will include the patient's name, date of birth, and the number of members in the patient's household. As with prescriptions for medications, the food box prescription will expire at the end of 6 months, thereby motivating the patient to return to the clinic for their follow-up medical care as well as a reevaluation of their household's food insecurity. Food boxes will contain the following items: four cans of vegetables per week for each member of the home, four cans of fruits per week for each member of the home, and one loaf of bread per week for every two members of the household. If the home has an odd number of members, the number of household members will be rounded up. Food boxes will be prefilled by the food pantry volunteers and stored in the primary care clinic's storeroom to allow for the first food box to be provided during the patient's clinic appointment. When the patient presents to the food bank for their monthly food box, they

will receive a portion of fresh produce for each member of the household. The portion size of the fresh produce will be determined by the item, i.e., a head of lettuce, a stalk of celery, a bundle of leafy greens. For individual items such as apples, pears, or potatoes, they will be issued in five-pound portions. Due to the perishable nature of fresh produce and bakery items, these items will continue to be stored at the food pantry to prolong their shelf-life.

Orientation for the food box prescription program will be provided by the organization's manager and lead nurse practitioner at the clinic and by the organization's manager at the food bank. As the food boxes will contain non-perishable food items, 20 boxes will be maintained at the clinic. The manager will be responsible for inventorying the food boxes at the end of each day at the clinic and informing the food pantry how many replacement boxes are required. Delivery of the food boxes to the clinic will be made by the organization's driver as part of his daily responsibilities.

### **Analysis of Self**

As a healthcare professional who has spent the majority of the past 30 years working in county and inner-city emergency departments, I have a deep appreciation for the obstacles encountered by persons with chronic health conditions who lack health insurance.

Additionally, as a family nurse practitioner, the majority of my experience has been in settings that serve uninsured and indigent patients. These experiences were the motivating factors for my DNP project. The focus of this project has not been just to ask why the patient does not return for follow-up care, but also to determine what can increase the likelihood that the patient will return as requested. Combining the knowledge and skills I have gained as a health care professional as well as those acquired as a student-scholar, I

have sought to design an evidence-based intervention best suited to the patient population of this project. Before the implementation of the Affordable Care Act, approximately 16% of the nonelderly population was uninsured (Kaiser Family Foundation, 2018). While the Affordable Care Act increased access to health insurance, as of 2016, 10.3% of nonelderly individuals remained uninsured in the United States (Kaiser Family Foundation, 2018). Additionally, as long as Congress remains at odds on how to address the ongoing issue of access to health care for the uninsured, this uninsured patient population will continue to present unique challenges to the health care industry. As a family nurse practitioner whose focus is the care of the uninsured patient, I am uniquely situated to both implement and evaluate evidence-based interventions created for this patient population.

A unique barrier faced during the completion of this doctoral project was the challenges presented by the uninsured patient population. When the patient must choose between prescription medications and groceries, food wins out. Therefore, an intervention designed to encourage the patient to return for care while supporting their basic needs was essential. Additionally, as with any intervention designed to impact a patient population, culture had to be considered. All too often, culture is used as a synonym for non-white racial identity (Fisher-Borne, Cain, & Martin, 2015). However, while race and ethnicity are integral components of a person's cultural identity, other influences such as gender, disability, socioeconomic status, and sexual orientation cannot be discounted (Fischer-Borne, Cain, & Martin, 2015). Similarly, the presence, or lack, of health insurance shapes a patient's cultural identity. Therefore, by approaching this unique patient population through a position of cultural humility, mutual empowerment and respect can be achieved thereby

creating the opportunity for optimal care and lifelong learning for both the clinician as well as the patient (Foronda, Baptiste, Reinholdt, & Ousman, 2016).

### **Summary**

Patient adherence to follow-up care is essential if optimal patient outcomes are to be achieved. However, when patients are forced to choose between health care appointments and meeting their daily needs, health care often comes in second. If we are to successfully meet the health care needs of those on the fringes of society, we must first design evidence-based interventions that not only address their health care needs, but also the most basic needs for their survival. Therefore, in this DNP project, I identified and initiated an intervention capable of improving patient follow-up in an indigent care setting, while addressing basic food insecurity. Appropriately implemented interventions based on the findings of this DNP project will not only alleviate the food insecurity experienced by this patient population but has potential to improve overall health status by facilitating the continuity of their health care. The findings of this project have potential to create social change in clinics for uninsured in the community by addressing food insecurity and providing patients an incentive to return for care every 6 months.

## References

- Aggarwal, A., Davies, J., & Sullivan, R. (2016). "Nudge" and the epidemic of missed appointments: Can behavioural policies provide a solution for missed appointments in the health service? *Journal of Health Organization and Management*, 30(4), 558-564. doi:10.1108/JHOM-04-2015-0061
- Alimohammadi, A., Holeksa, J., Parsons, R., Yung, R., Amiri, N., Truong, D., & Conway, B. (2018). Diagnosis and treatment of hepatitis C virus infection: A tool for engagement with people who inject drugs in Vancouver's Downtown Eastside. *Canadian Liver Journal*, 1(2), 14-33. doi:10.3138/canlivj.1.2.002
- Andersson, M., Garfield, S., Eliasson, L., Jackson, C., & Raynor, D. K. (2014). Delivery of patient adherence support: A systematic review of the role of pharmacists and doctors. *Patient Intelligence*, 2014(6), 31-42. doi:10.2147/pi.s46647
- Bauer, S. E., Schumacher, J. R., Hall, A. G., Hendry, P., Peltzer-Jones, J. M., Kalynych, C., & Carden, D. L. (2016). Primary care experiences of emergency department patients with limited health literacy. *The Journal of Ambulatory Care Management*, 39(1), 32-41. doi:10.1097/JAC.0000000000000068
- Boksmati, N., Butler-Henderson, K., Anderson, K., & Sahama, T. (2016). The effectiveness of SMS reminders on appointment attendance: A meta-analysis. *Journal of Medical Systems*, 40(4), 90. doi:10.1007/s10916-016-0452-2
- Cao, Z. J., Chen, Y., & Wang, S. M. (2014). Health belief model based evaluation of school health education programme for injury prevention among high school students in the community context. *BMC Public Health*, 14(1), 26. doi:10.1186/1471-2458-14-26

- Carter, E. J., Pouch, S. M., & Larson, E. L. (2014). The relationship between emergency department crowding and patient outcomes: A systematic review. *Journal of Nursing Scholarship, 46*(2), 106–115. <http://doi.org/10.1111/jnu.12055>
- Centers for Disease Control and Prevention. (2017, June 28). Chronic disease overview. Retrieved from <https://www.cdc.gov/chronicdisease/overview/index.htm>
- Davis, A., Baldwin, A., Hingorani, M., Dwyer, A., & Flanagan, D. (2017). A review of 145,234 ophthalmic patient episodes lost to follow-up. *Eye, 31*(3), 422. doi:10.1038/eye.2016.225
- Davis, S. A., Lin, H. C., Yu, C. H., Balkrishnan, R., & Feldman, S. R. (2014). Underuse of early follow-up visits: A missed opportunity to improve patients' adherence. *Journal of Drugs in Dermatology, 13*(7), 833-836. Retrieved from <http://jddonline.com/>
- Donadiki, E. M., Jiménez-García, R., Hernández-Barrera, V., Sourtzi, P., Carrasco-Garrido, P., de Andrés, A. L., ... & Velonakis, E. G. (2014). Health belief model applied to non-compliance with HPV vaccine among female university students. *Public Health, 128*(3), 268-273. doi:10.1016/j.puhe.2013.12.004
- DuGoff, E. H., Bandeen-Roche, K., & Anderson, G. F. (2016). Relationship between continuity of care and adverse outcomes varies by number of chronic conditions among older adults with diabetes. *Journal of Comorbidity, 6*(2), 65-72. doi:10.15256/joc.2016.6.76

- Engelkes, M., Janssens, H. M., Jongste, J. C., Sturkenboom, M. C., & Verhamme, K. (2016). Prescription patterns, adherence and characteristics of non-adherence in children with asthma in primary care. *Pediatric Allergy and Immunology*, *27*(2), 201-208. doi:10.1111/pai.12507
- Fisher-Borne, M., Cain, J. M., & Martin, S. L. (2014). From mastery to accountability: Cultural humility as an alternative to cultural competence. *Social Work Education*, *34*(2), 165-181. doi:10.1080/02615479.2014.977244
- Foronda, C., Baptiste, D. L., Reinholdt, M. M., & Ousman, K. (2016). Cultural humility: A concept analysis. *Journal of Transcultural Nursing*, *27*(3), 210-217. <https://doi-org.ezp.waldenulibrary.org/10.1177/1043659615592677>
- Hussey, P. S., Schneider, E. C., Rudin, R. S., Fox, D. S., Lai, J., & Pollack, C. E. (2014). Continuity and the costs of care for chronic disease. *JAMA Internal Medicine*, *174*(5), 742-748. doi:10.1001/jamainternmed.2014.245
- Jones, C. J., Smith, H., & Llewellyn, C. (2014). Evaluating the effectiveness of health belief model interventions in improving adherence: A systematic review. *Health Psychology Review*, *8*(3), 253-269. doi:10.1080/17437199.2013.802623
- Jones, C. L., Jensen, J. D., Scherr, C. L., Brown, N. R., Christy, K., & Weaver, J. (2015). The health belief model as an explanatory framework in communication research: Exploring parallel, serial, and moderated mediation. *Health Communication*, *30*(6), 566-576. <http://doi.org/10.1080/10410236.2013.873363>

- Kaiser Family Foundation. (2018, November 13). *Key facts about the uninsured population*. Retrieved from <https://www.kff.org/uninsured/fact-sheet/key-facts-about-the-uninsured-population/>
- Kamran, A., Ahari, S., Biria, M., Malepour, A., & Heydari, H. (2014). Determinants of patient's adherence to hypertension medications: Application of health belief model among rural patients. *Annals of Medical and Health Sciences Research*, 4(6), 922. doi:10.4103/2141-9248.144914
- Katz, A. (2016). News: Food counts as medicine at Boston Hospital. *Emergency Medicine News*, 38(3), 1. doi:10.1097/01.eem.0000481857.54281.85
- Lam, W. Y., & Fresco, P. (2015). Medication adherence measures: An overview. *BioMed Research International*, 2015, 1-12. doi:10.1155/2015/217047
- Lewis, P. E., Burnett, D. G., Costello, A. A., Olsen, C. H., Tchandja, J. N., & Webber, B. J. (2015). Measles, mumps, and rubella titers in air force recruits: Below herd immunity thresholds? *American Journal of Preventive Medicine*, 49(5), 757-760. doi:10.1016/j.amepre.2015.04.019
- Maarsingh, O. R., Henry, Y., van de Ven, P. M., & Deeg, D. J. (2016). Continuity of care in primary care and association with survival in older people: A 17-year prospective cohort study. *British Journal of General Practice*, 66(649), e531-e539. doi:10.3399/bjgp16X6 86101

- Mallow, J. A., Theeke, L. A., Barnes, E. R., Whetsel, T., & Mallow, B. K. (2014). Free care is not enough: Barriers to attending free clinic visits in a sample of uninsured individuals with diabetes. *Open Journal of Nursing, 4*(13), 912–919.  
doi:10.4236/ojn.2014.413097
- Maluccio, J. A., Palermo, T., Kadiyala, S., & Rawat, R. (2015). Improving health-related quality of life among people living with HIV: Results from an impact evaluation of a food assistance program in Uganda. *PLOS ONE, 10*(8), e0135879.  
doi:10.1371/journal.pone.0135879
- Marcelli, S., Gatti, C., Rocchi, R., Troiani, S., Di Tuccio, S., Giuli, C., ... & Santarelli, A. (2017). Chronic care model and cost reduction in initial health: A new approach for satisfaction and improvement of chronicity. *Geriatric Care, 3*(3).  
doi:10.4081/gc.2017.7066
- Martinez, H., Palar, K., Linnemayr, S., Smith, A., Derose, K. P., Ramírez, B., ... Wagner, G. (2014). Tailored nutrition education and food assistance improve adherence to HIV antiretroviral therapy: Evidence from Honduras. *AIDS and Behavior, 18*(S5), 566-577. doi:10.1007/s10461-014-0786-z
- McCoy, S. I., Njau, P. F., Fahey, C., Kapologwe, N., Kadiyala, S., Jewell, N. P., ... Padian, N. S. (2017). Cash vs. food assistance to improve adherence to antiretroviral therapy among HIV-infected adults in Tanzania. *AIDS, 31*(6), 815-825.  
doi:10.1097/qad.0000000000001406
- Mick, J. (2016). The appraising evidence game. *Worldviews on Evidence-Based Nursing, 13*(2), 176-179. doi:10.1111/wvn.12139


- Odonkor, C. A., & Cohen, S. P. (2017). Poster 104: Development and design of a predictive nomogram for missed appointments at an academic pain treatment center: A prospective year-long longitudinal study. *PM&R*, 9(9), S138.  
doi:10.1016/j.pmrj.2017.07.029
- Rosati, R., Ables, A. Z., & Warren, P. (2017). Improving diabetic retinopathy in an indigent population. *Journal of Health Care for the Poor and Underserved*, 28(2), 635-642.  
Retrieved from <https://www.press.jhu.edu/journals/journal-health-care-poor-and-underserved>
- Russell, N. M., Vess, J., Durham, C., & Johnson, E. (2017). Text-messaging to support diabetes self-management in a rural health clinic: A quality improvement project. *On-Line Journal of Nursing Informatics*, 21(2). Retrieved from <https://www.himss.org/ojni>
- Sendall, M., McCosker, L., Crossley, K., & Bonner, A. (2017). A structured review of chronic care model components supporting transition between healthcare service delivery types for older people with multiple chronic diseases. *Health Information Management Journal*, 46(2), 58-68. doi:10.1177/1833358316681687
- Shin, D. W., Cho, J., Yang, H. K., Park, J. H., Lee, H., Kim, H., ... & Guallar, E. (2014). Impact of continuity of care on mortality and health care costs: A nationwide cohort study in Korea. *The Annals of Family Medicine*, 12(6), 534-541.  
doi:10.1370/afm.1685
- Shrestha, M. P., Hu, C., & Taleban, S. (2017). Appointment wait time, primary care provider status, and patient demographics are associated with nonattendance at

- outpatient gastroenterology clinic. *Journal of Clinical Gastroenterology*, 51(5), 433-438. doi:10.1097/MCG.0000000000000706
- Skinner, C. B., Tiro, J., & Champion, V. L. (2015). The health belief model. In K. Glanz, B. K. Rimer, & K. Viswanath (Eds.), *Health behavior: Theory, research, and practice* (5th ed., pp. 75-94). San Francisco, CA: Jossey-Bass.
- Sohler, N. L., Jerant, A., & Franks, P. (2015). Socio-psychological factors in the expanded health belief model and subsequent colorectal cancer screening. *Patient Education and Counseling*, 98(7), 901–907. doi:10.1016/j.pec.2015.03.023
- Sorita, A., Funakoshi, T., Kashan, G., Young, E. R., & Park, J. (2014). Impact of prescription patterns on compliance with follow-up visits at an urban teaching primary care continuity clinic. *Journal of Primary Care & Community Health*, 5(3), 188-193. doi:10.1177/21501 31914523294
- Thomas, K., Martin, T., Gao, A., Ahn, C., Wilhelm, H., & Schwartz, D. L. (2017). Interruptions of head and neck radiotherapy across insured and indigent patient populations. *Journal of Oncology Practice*, 13(4), e319-e328. doi:10.1200/JOP.2016.017863
- Turner, B. J., Parish-Johnson, J. A., Liang, Y., Jeffers, T., Arismendez, S. V., & Poursani, R. (2018). Implementation of the chronic care model to reduce disparities in hypertension control: Benefits take time. *Journal of General Internal Medicine*, 33(9), 1498-1503. doi:10.1007/s11606-018-4526-3

- United States Census Bureau. (2017, October 4). *Health insurance coverage in the United States: 2016*. Retrieved from <https://www.census.gov/library/publications/2017/demo/p60-260.html>
- United States Department of Agriculture. (2017, October 4). *U.S. Household Food Security Survey Module: Six-Item Short Form*. Retrieved from <https://www.ers.usda.gov/topics/food-nutrition-assistance/food-security-in-the-us/survey-tools.aspx#household>
- van Zyl, T., Su, Z., Zhou, E., Wong, R. K., Mohsenin, A., Rogers, S., ... & Forster, S. H. (2015). Providing prescheduled appointments as a strategy for improving follow-up compliance after community-based glaucoma screening: Results from an urban underserved population. *Journal of Community Health, 40*(1), 27-33. doi:10.1007/s10900-014-9890-2
- Wagner, A. L., Boulton, M. L., Sun, X., Mukherjee, B., Huang, Z., Harmsen, I. A., ... & Zikmund-Fisher, B. J. (2017). Perceptions of measles, pneumonia, and meningitis vaccines among caregivers in Shanghai, China, and the health belief model: A cross-sectional study. *BMC Pediatrics, 17*(1), 143. doi:10.1186/s12887-017-0900-2
- Walker, K., & Jackson, R. (2015). The health belief model and determinants of oral hygiene practices and beliefs in preteen children: A pilot study. *Pediatric Dentistry, 37*(1), 40-45. Retrieved from <https://www.ncbi.nlm.nih.gov/labs/journals/pediatr-dent/>

- Wetherill, M. S., Chancellor McIntosh, H., Beachy, C., & Shadid, O. (2018). Design and implementation of a clinic-based food pharmacy for food insecure, uninsured patients to support chronic disease self-management. *Journal of Nutrition Education and Behavior, 50*(9), 947-949. doi:10.1016/j.jneb.2018.05.014
- Whittle, H. J., Palar, K., Hufstedler, L. L., Seligman, H. K., Frongillo, E. A., & Weiser, S. D. (2015). Food insecurity, chronic illness, and gentrification in the San Francisco Bay Area: An example of structural violence in United States public policy. *Social Science & Medicine, 143*, 154-161. doi:10.1371/journal.pone.0135879
- Yue, Z., Li, C., Weilin, Q., & Bin, W. (2015). Application of the health belief model to improve the understanding of antihypertensive medication adherence among Chinese patients. *Patient Education and Counseling, 98*(5), 669-673. doi:10.1016/j.pec.2015.02.007

## Appendix A: Prisma Flow Diagram



## Appendix B: Food Insecurity Questions and Scoring

### U.S. Household Food Security Survey Module: Six-Item Short Form Economic Research Service, USDA September 2012

**Revision Notes:** The food security questions in the 6-item module are essentially unchanged from those in the original module first implemented in 1995 and described previously in this document.

#### *September 2012:*

Added coding specification for “How many days” for 30-day version of AD1a.

#### *July 2008:*

Wording of resource constraint in AD2 was corrected to, “...because there wasn’t enough money for food” to be consistent with the intention of the September 2006 revision.

#### *January 2008:*

Corrected user notes for coding AD1a.

#### *September 2006:*

- Minor changes were introduced to standardize wording of the resource constraint in most questions to read, “...because there wasn't enough money for food.”
- Question numbers were changed to be consistent with those in the revised Household Food Security Survey Module.
- User notes following the questionnaire were revised to be consistent with current practice and with new labels for ranges of food security and food insecurity introduced by USDA in 2006.

**Overview:** The six-item short form of the survey module and the associated Six-Item Food Security Scale were developed by researchers at the National Center for Health Statistics.

**Background:** The six-item short form of the survey module and the associated Six-Item Food Security Scale were developed by researchers at the National Center for Health Statistics in collaboration with Abt Associates Inc. and documented in “The effectiveness of a short form of the household food security scale,” by S.J. Blumberg, K. Bialostosky, W.L. Hamilton, and R.R. Briefel (published by the *American Journal of Public Health*, vol. 89, pp. 1231-34, 1999). ERS conducted additional assessment of classification sensitivity, specificity, and bias relative to the 18-item scale.

If respondent burden permits, use of the 18-item U.S. Household Food Security Survey Module or the 10-item U.S. Adult Food Security Survey Module is recommended. However, in surveys that cannot implement one of those measures, the six-item module may provide an acceptable substitute. It has been shown to identify food-insecure households and households with very low food security with reasonably high specificity and sensitivity and minimal bias compared with the 18-item measure. It does not, however, directly ask about children’s food security, and does not measure the most severe range of adult food insecurity, in which children’s food intake is likely to be reduced.

These next questions are about the food eaten in your household in the last 12 months, since (current month) of last year and whether you were able to afford the food you need.

**NOTE:** If the placement of these items in the survey makes the transition/introductory sentence unnecessary, add the word “Now” to the beginning of question HH3: “Now I’m going to read you....”

**FILL INSTRUCTIONS:** Select the appropriate fill from parenthetical choices depending on the number of persons and number of adults in the household.

HH3. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for (you/your household) in the last 12 months—that is, since last (name of current month).

The first statement is, "The food that (I/we) bought just didn't last, and (I/we) didn't have money to get more. Was that often, sometimes, or never true for (you/your household) in the last 12 months?"

- Often true  
 Sometimes true  
 Never true  
 DK or Refused

HH4. "(I/we) couldn't afford to eat balanced meals." Was that often, sometimes, or never true for (you/your household) in the last 12 months?

- Often true  
 Sometimes true  
 Never true  
 DK or Refused

AD1. In the last 12 months, since last (name of current month), did (you/you or other adults in your household) ever cut the size of your meals or skip meals because there wasn't enough money for food?

- Yes  
 No (Skip AD1a)  
 DK (Skip AD1a)

AD1a. [IF YES ABOVE, ASK] How often did this happen—almost every month, some months but not every month, or in only 1 or 2 months?

- Almost every month  
 Some months but not every month  
 Only 1 or 2 months  
 DK

AD2. In the last 12 months, did you ever eat less than you felt you should because there wasn't enough money for food?

- Yes  
 No  
 DK

AD3. In the last 12 months, were you every hungry but didn't eat because there wasn't enough money for food?

- Yes  
 No  
 DK

### User Notes

#### (1) Coding Responses and Assessing Households' Food Security Status:

Responses of “often” or “sometimes” on questions HH3 and HH4, and “yes” on AD1, AD2, and AD3 are coded as affirmative (yes). Responses of “almost every month” and “some months but not every month” on AD1a are coded as affirmative (yes). The sum of affirmative responses to the six questions in the module is the household’s raw score on the scale.

Food security status is assigned as follows:

Raw score 0-1—High or marginal food security (raw score 1 may be considered marginal food security, but a large proportion of households that would be measured as having marginal food security using the household or adult scale will have raw score zero on the six-item scale)

Raw score 2-4—Low food security

Raw score 5-6—Very low food security

For some reporting purposes, the food security status of households with raw score 0-1 is described as food secure and the two categories “low food security” and “very low food security” in combination are referred to as food insecure.

For statistical procedures that require an interval-level measure, the following scale scores, based on the Rasch measurement model may be used:

Number of affirmatives	Scale score
0	NA
1	2.86
2	4.19
3	5.27
4	6.30
5	7.54
6 (evaluated at 5.5)	8.48

However, no interval-level score is defined for households that affirm no items. (They are food secure, but the extent to which their food security differs from households that affirm one item is not known.)

(2) Response Options: For interviewer-administered surveys, DK (“don’t know”) and “Refused” are blind responses—that is, they are not presented as response options but marked if volunteered. For self-administered surveys, “don’t know” is presented as a response option.

(3) Screening: If it is important to minimize respondent burden, respondents may be screened after question AD1. Households that have responded “never” to HH3 and HH4 and “no” to AD1 may skip over the remaining questions and be assigned raw score zero. In pilot surveys intended to validate the module in a new cultural, linguistic, or survey context, however, screening should be avoided if possible and all questions should be administered to all respondents.

(4) 30-Day Reference Period: The questionnaire items may be modified to a 30-day reference period by changing the “last 12-month” references to “last 30 days.” In this case, item AD1a must be changed to read as follows:

AD1a. [IF YES ABOVE, ASK] In the last 30 days, how many days did this happen?

\_\_\_\_\_ days

DK

Responses of 3 days or more are coded as “affirmative” responses.

(5) Self Administration: The six-item module has been used successfully in mail-out, take-home, and on-site self-administered surveys. For self-administration, question AD1a may be presented in one of two ways:

Indent AD1a below AD1 and direct the respondent to AD1a with an arrow from the “Yes” response box of AD1. In a parenthetical following the “No” response box of AD1, instruct the respondent to skip question AD1 and go to question AD2.

Present the following response options to question AD1 and omit question AD1a:

- Yes, almost every month
- Yes, some months but not every month
- Yes, only 1 or 2 months
- No

In this case, either of the first two responses is scored as two affirmative responses, while “Yes, only 1 or 2 months” is scored as a single affirmative response.

The two approaches have been found to yield nearly equal results. The latter may be preferred because it usually reduces the proportion of respondents with missing information on how often this behavior occurred.

## Appendix C: Literature Included

Citation	Purpose	Population/ Sample Size(N)/ Setting	Design	Variables/ Instruments	Intervention	Results	Nursing Implications	Intervention Effectiveness	Type/ Level of Evidenc e
Alimohammadi, A., Holeska, J., Parsons, R., Yung, R., Amiri, N., Truong, D., & Conway, B. (2018). Diagnosis and treatment of hepatitis C virus infection: A tool for engagement with people who inject drugs in Vancouver's Downtown Eastside. <i>Canadian Liver Journal</i> , 1(2), 14-33. doi:10.3138/canlivj.1.2.002	"This study evaluates a new model of engagement with people who inject drugs in the Downtown Eastside."	Over a 12-month period, 1,283 OraQuick tests performed at 44 community pop-up clinic	Multidisciplinary, community-based approach to diagnose inner-city people infected with the hepatitis C virus providing on-site testing, immediate medical consultation, and meal vouchers as an incentive to adhere to clinic appointments.	Demographic variables including homelessness, unemployment, injection drug use, and indigenous origins. Z-test was used to evaluate specific variables Z- test was used to compare the study cohort to the national value	Community pop-up clinics were strategically placed in Vancouver's Downtown Eastside to evaluate up to 30 adults in a three-hour period for the hepatitis C virus using the OraQuick test.	21% tested positive for the hepatitis C 68% who tested positive were people who injected drugs 50% began care in the clinic 61% who received interferon-free directly acting antiviral hepatitis C virus therapy attained 100% cure rate Individuals choosing no care more likely to be homeless	The multidisciplinary team included members from nursing, medical, and logistics support. So structured, nursing was an active participant in providing addiction-related, medical, psychiatric, and social support.	Effective	Level 4
Katz, A. (2016). News: Food counts as medicine at Boston Hospital. Emergency Medicine <i>Emergency Medicine News</i> , 38(3A), 1. doi:10.1097/01.em.0000481857.54281.85	"Physicians at Boston Medical Center (BMC) are writing patients prescriptions for its on-site Preventive Food Pantry to combat hunger."	N/A	N/A	N/A	Providers screen for food insecurity provide Prescriptions for Boston Medical Center Preventive Food Pantry.	The Boston Medical Center Emergency Department has not seen an increase in health patients presenting for hunger.	Nurse Practitioners as well as nurses can be active partners in screening patients for food insecurity.	Effective	Level 7

<p>Maluccio, J. A., Palermo, T., Kadiyala, S., &amp; Rawat, R. (2015). Improving health-related quality of life among people living with HIV: Results from an impact evaluation of a food assistance program in Uganda. <i>PLOS ONE</i>, 10(8), e0135879. doi:10.1371/journal.pone.0135879</p>	<p>“To conduct a prospective impact evaluation of a monthly household food basket on the physical and mental dimensions of health-related quality of life.”</p>	<p>640 participants from two districts, 318 in the intervention district and 322 in the nonparticipation district</p>	<p>Controlled trial without randomization</p>	<p>Individual background, individual measured health status, individual self-reported health status and diet, household background, distance from household to clinic and market, and survey interview characteristics.</p>	<p>Food assistance intervention</p>	<p>Over a 12-month period food assistance significantly improved physical health scored and substantially decreased the number of provider- and self-reported HIV-related symptoms</p>	<p>Nurse Practitioners as well as nurses can be instrumental in screening for food insecurity</p>	<p>Effective</p>	<p>Level 3</p>
<p>Martinez, H., Palar, K., Linnemayr, S., Smith, A., Derose, K. P., Ramirez, B., ... Wagner, G. (2014). Tailored nutrition education and food assistance improve adherence to HIV antiretroviral therapy: Evidence from Honduras. <i>AIDS and Behavior</i>, 18(5), 566-577. doi:10.1007/s10461-014-0786-z</p>	<p>“We implemented a pilot intervention with people receiving ART in Honduras to test the effects of provision of a household food basket plus nutritional education sessions on ART adherence compared to nutritional education alone.”</p>	<p>400 HIV patients at four clinics in Honduras</p>	<p>A 12-month prospective clinical trial to study the effects of nutritional education alone versus nutritional education with a food basket on antiretroviral therapy adherence in Honduras</p>	<p>Food insecurity, anthropometric measurements, and dietary intake</p>	<p>Nutritional education alone versus nutritional education with a food basket.</p>	<p>On-time prescription refills increased with the food basket and nutritional education group by 19.6% after six months with no further increase at 12 months.</p>	<p>N/A The randomization of the study participants was conducted at the top removing nursing from actively participating in this study.</p>	<p>Effective</p>	<p>Level 2</p>

<p>Wetherill, M. S., Chancellor McIntosh, H., Beachy, C., &amp; Shadid, O. (2018). Design and implementation of a clinic-based food pharmacy for food insecure, uninsured patients to support chronic disease self-management. <i>Journal of Nutrition Education and Behavior, 50</i>(9), 947-949. doi:10.1016/j.jneb.2018.05.014</p>	<p>“The University of Oklahoma (OU) Food Pharmacy was designed to accomplish 3 outcomes: (1) improve patient knowledge and intake of affordable, medically appropriate foods, (2) reduce household food insecurity, and (3) reduce nutrition-related clinical risk factors for cardiometabolic disease.”</p>	<p>Any patient accessing using one of the two test clinics that were identified by a medical student, social work student, or were self-enrolled in the program.</p>	<p>A clinic-based food pharmacy designed to support chronic disease self-management for uninsured patients identified to be food insecure</p>	<p>N/A</p>	<p>Monthly food packages, educational booklets, and recipe cards.</p>	<p>Significant improvement in daily dietary fiber intake. Nonsignificant increase in daily vegetable and fruit intake. No change in mean food insecurity. Significantly improved mean diastolic blood pressure among participants with hypertension that used the food program at least four times.</p>	<p>Although nursing was not an active participant in this study, nurses are trained to identify patients who are food-insecure</p>	<p>Effective</p>	<p>Level 4</p>
---	--	--	---	------------	---	---	--	------------------	----------------

## Appendix D: Literature Reviewed

	5 Pertinent to the DNP Project	24 New Clinics, New Services, etc.	36 Identifying Barriers	17 Insured Patients	284 Otherwise Not Pertinent to the DNP Project
1	Alimohammadi, A., Holeksa, J., Parsons, R., Yung, R., Amiri, N., Truong, D., & Conway, B. (2018). Diagnosis and treatment of hepatitis C virus infection: A tool for engagement with people who inject drugs in Vancouver's Downtown Eastside. <i>Canadian Liver Journal</i> , 1(2), 14-33. doi:10.3138/canlivj.1.2.002	Seggelke, S. A., Hawkins, R. M., Gibbs, J., Rasouli, N., Wang, C., & Draznin, B. (2014). Transitional care clinic for uninsured and Medicaid-covered patients with diabetes mellitus discharged from the hospital: A pilot quality improvement study. <i>Hospital Practice</i> , 42(1), 46-51. doi:10.3810/hp.2014.02.1091	Virapongse, A., & Misky, G. J. (2018). Self-identified social determinants of health during transitions of care in the medically underserved: A narrative review. <i>Journal of General Internal Medicine</i> , 33(11), 1959-1967. doi:10.1007/s11606-018-4615-3	Medford-Davis, L. N., Lin, F., Greenstein, A., & Rhodes, K. V. (2017). "I broke my ankle": Access to orthopedic follow-up care by insurance status. <i>Academic Emergency Medicine</i> , 24(1), 98-105. doi:10.1111/acem.13058	Rubin, D. J. (2018). Correction to: Hospital readmission of patients with diabetes. <i>Current Diabetes Reports</i> , 18(4). doi:10.1007/s11892-018-0989-1
2	Milne, W. K. (2013). News: Food counts as medicine at Boston Hospital. <i>Emergency Medicine News</i> , 35, 1. doi:10.1097/01.eem.0000430463.97133.02	Shubhakaran, K. (2016). The feasibility of establishing a free clinic for uninsured patients with neurologic disorders. <i>Neurology: Clinical Practice</i> , 6(1), 8.1-8. doi:10.1212/01.cpj.0000481031.10070.56	"Harkey, K., Kaiser, N., Inman, M., & Reinke, C. E. (2018). "Are we there yet?"- Factors affecting postoperative follow-up after general surgery procedures. <i>The American Journal of Surgery</i> , 216(6), 1046-1051. doi:10.1016/j.amjsurg.2018.09.016	Capp, R., Misky, G. J., Lindrooth, R. C., Honigman, B., Logan, H., Hardy, R., ... Wiler, J. L. (2017). Coordination program reduced acute care use and increased primary care visits among frequent emergency care users. <i>Health Affairs</i> , 36(10), 1705-1711. doi:10.1377/hlthaff.2017.0612	Rubin, D. J. (2015). Hospital readmission of patients with diabetes. <i>Current Diabetes Reports</i> , 15(4). doi:10.1007/s11892-015-0584-7
3	Maluccio, J. A., Palermo, T., Kadiyala, S., & Rawat, R. (2015). Improving health-related quality of life among people living with HIV: Results from	Feinglass, J., Wein, S., Teter, C., Schaeffer, C., & Rogers, A. (2018). A qualitative study of urban hospital transitional care. <i>Qualitative Research in</i>	Patel, N., Yopp, A. C., & Singal, A. G. (2015). Diagnostic delays are common among patients with hepatocellular carcinoma. <i>Journal of the National Comprehensive</i>	Suh, H. S., Kang, H., Kim, J., & Shin, E. (2014). Effect of health insurance type on health care utilization in	Yek, C., De la Flor, C., Marshall, J., Zoellner, C., Thompson, G., Quirk, L., ... Jain, M. K. (2017). Effectiveness of direct-acting antiviral therapy for hepatitis C in difficult-to-treat patients in a safety-net health system: A retrospective

	<p>an impact evaluation of a food assistance program in Uganda. <i>PLOS ONE</i>, 10(8), e0135879. doi:10.1371/journal.pone.0135879</p>	<p><i>Medicine &amp; Healthcare</i>, 2(2). doi:10.4081/qrmh.2018.7216</p>	<p><i>Cancer Network</i>, 13(5), 543-549. doi:10.6004/jncn.2015.0074</p>	<p>patients with hypertension: A national health insurance database study in Korea. <i>BMC Health Services Research</i>, 14(1). doi:10.1186/s12913-014-0570-9</p>	<p>cohort study. <i>BMC Medicine</i>, 15(1). doi:10.1186/s12916-017-0969-3</p>
4	<p>Martinez, H., Palar, K., Linnemayr, S., Smith, A., Derose, K. P., Ramirez, B., ... Wagner, G. (2014). Tailored nutrition education and food assistance improve adherence to HIV antiretroviral therapy: Evidence from Honduras. <i>AIDS and Behavior</i>, 18(5), 566-577. doi:10.1007/s10461-014-0786-z</p>	<p>Conklin, J. R., Togami, J. C., Burnett, A., Dodd, M. A., &amp; Ray, G. M. (2014). Care transitions service: A pharmacy-driven program for medication reconciliation through the continuum of care. <i>American Journal of Health-System Pharmacy</i>, 71(10), 802-810. doi:10.2146/ajhp130589</p>	<p>Fiorillo, C. E., Hughes, A. L., I-Chen, C., Westgate, P. M., Gal, T. J., Bush, M. L., &amp; Comer, B. T. (2017). Factors associated with patient no-show rates in an academic otolaryngology practice. <i>The Laryngoscope</i>, 128(3), 626-631. doi:10.1002/lary.26816</p>	<p>Hoadley, J. H., &amp; Summer, L. S. (2014). The role of Medicaid managed care in delivery system innovation. doi:10.15868/socialsector.25072</p>	<p>Sonmez, H., Kambo, V., Taha, R., &amp; Poretsky, L. (2016). Reducing hospital re-admissions in patients with diabetes: Developing better strategies. <i>Endocrine Practice</i>, 22(9), 1134-1136. doi:10.4158/ep161315.co</p>
5	<p>Wetherill, M. S., Chancellor McIntosh, H., Beachy, C., &amp; Shadid, O. (2018). Design and implementation of a clinic-based food pharmacy for food insecure, uninsured patients to support chronic disease self-management. <i>Journal of Nutrition Education and Behavior</i>, 50(9), 947-949. doi:10.1016/j.jneb.2018.05.014</p>	<p>Gao, L., Joseph, J., Santoro-Levy, M., Multz, A. S., &amp; Gotlieb, V. K. (2016). Utilization of pharmaceutical patient and prescription assistance programs via a pharmacy department patient assistance program for indigent cancer patients. <i>Hospital Pharmacy</i>, 51(7), 572-576. doi:10.1310/hpj5107-572</p>	<p>Graham, J. L., Shahani, L., Grimes, R. M., Hartman, C., &amp; Giordano, T. P. (2015). The influence of trust in physicians and trust in the healthcare system on linkage, retention, and adherence to HIV care. <i>AIDS Patient Care and STDs</i>, 29(12), 661-667. doi:10.1089/apc.2015.0156</p>	<p>Kessell, E., Pegany, V., Keolanui, B., Fulton, B. D., Scheffler, R. M., &amp; Shortell, S. M. (2015). Review of Medicare, Medicaid, and commercial quality of care measures: Considerations for assessing accountable care organizations. <i>Journal of Health Politics, Policy and Law</i>, 40(4), 761-796. doi:10.1215/03616878-3150050</p>	<p>Sudore, R. L., Barnes, D. E., Le, G. M., Ramos, R., Osua, S. J., Richardson, S. A., ... Schillinger, D. (2016). Improving advance care planning for English-speaking and Spanish-speaking older adults: Study protocol for the PREPARE randomised controlled trial. <i>BMJ Open</i>, 6(7), e011705. doi:10.1136/bmjopen-2016-011705</p>

6		Golden, S. H., Maruthur, N., Mathioudakis, N., Spanakis, E., Rubin, D., Zilbermint, M., & Hill-Briggs, F. (2017). The case for diabetes population health improvement: Evidence-based programming for population outcomes in diabetes. <i>Current Diabetes Reports, 17</i> (7). doi:10.1007/s11892-017-0875-2	Norris, J. B., Kumar, C., Chand, S., Moskowitz, H., Shade, S. A., & Willis, D. R. (2014). An empirical investigation into factors affecting patient cancellations and no-shows at outpatient clinics. <i>Decision Support Systems, 57</i> , 428-443. doi:10.1016/j.dss.2012.10.048	Lieberman, D. A., Polinski, J. M., Choudhry, N. K., Avorn, J., & Fischer, M. A. (2015). Medicaid prescription limits: policy trends and comparative impact on utilization. <i>BMC Health Services Research, 16</i> (1). doi:10.1186/s12913-016-1258-0	Azhar, A., Yennurajalingam, S., Ramu, A., Zhang, H., Haider, A., Williams, J. L., ... Bruera, E. (2018). Timing of referral and characteristics of uninsured, Medicaid, and insured patients referred to the outpatient supportive care center at a comprehensive cancer center. <i>Journal of Pain and Symptom Management, 55</i> (3), 973-978. doi:10.1016/j.jpainsymman.2017.10.025 ...
7		Gleason-Comstock, J., Streater, A., Ager, J., Goodman, A., Brody, A., Kivell, L., ... Levy, P. (2015). Patient education and follow-up as an intervention for hypertensive patients discharged from an emergency department: A randomized control trial study protocol. <i>BMC Emergency Medicine, 15</i> (1). doi:10.1186/s12873-015-0052-3	Khanassov, V., Pluye, P., Descoteaux, S., Haggerty, J. L., Russell, G., Gunn, J., & Levesque, J. (2016). Organizational interventions improving access to community-based primary health care for vulnerable populations: A scoping review. <i>International Journal for Equity in Health, 15</i> (1). doi:10.1186/s12939-016-0459-9	Gordon, S. (2017). The battle for veterans' healthcare: Dispatches from the front lines of policy making and patient care. Ithaca, NY: Cornell University Press.	Jergesen, H. E., Thielen, Z. P., Roever, J. A., Vashon, T. T., Wu, H., & Yi, P. H. (2018). Primary hip and knee arthroplasty in a safety net hospital: Substance abuse and other factors affecting short-term complications. <i>The Journal of Arthroplasty, 33</i> (9), 3003-3008. doi:10.1016/j.arth.2018.05.007
8		Baldwin, K. M., Black, D., & Hammond, S. (2014). Developing a rural transitional care community case management program using clinical nurse specialists. <i>Clinical Nurse Specialist, 28</i> (3), 147-155. doi:10.1097/nur.00000000000000044	Soto Mas, F., Iriart, C., Pedroncelli, R., Binder, D. S., Qualls, C. R., & Price, B. (2018). Impact of health care and socioeconomic needs on health care utilization and disease management: The University of New Mexico hospital care one program. <i>Population Health Management, 12</i> (1). doi:10.1089/pop.2018.0048	Sawadogo, K. A. (2017). Universal coverage in developing countries: A summative evaluation of maternal policies in Ghana and Burkina Faso.	Jergesen, H. E., Thielen, Z. P., Roever, J. A., Vashon, T. T., Wu, H., & Yi, P. H. (2018). Primary hip and knee arthroplasty in a safety net hospital: Substance abuse and other factors affecting short-term complications. <i>The Journal of Arthroplasty, 33</i> (9), 3003-3008. doi:10.1016/j.arth.2018.05.007
9		Roberts, D. L., Velligan, D. I., & Fredrick, M. (2017). The use of access groups for engagement in community mental health post	Sims, R. R., William I. Sauser, J., & Bias, S. K. (2016). Transforming government organizations: Fresh ideas	Bhatia, R., Lala Chinoy, S., Kaushish, B., Puri, J., & Singh Chahar, V. (2017).	Wieder, R., DeLaRosa, N., Bryan, M., Hill, A. M., & Amadio, W. J. (2014). Prescription coverage in indigent patients affects the use of long-acting opioids in the management of cancer pain. <i>Pain Medicine, 15</i> (1), 42-51. doi:10.1111/pme.12238

		hospitalization. <i>Community Mental Health Journal</i> , 54(5), 533-539. doi:10.1007/s10597-017-0212-x	and examples from the field. Charlotte, NC: IAP.	Examining the evidence on the effectiveness of India's rural employment guarantee act. doi:10.23846/wp0027	
10		Shuman, A. G., Aliu, O., Simpson, K., Salow, P., Morgenstern, K., Jennings, E. J., ... Cederna, P. S. (2014). Patching the safety net: Establishing a free specialty care clinic in an academic medical center. <i>Journal of Health Care for the Poor and Underserved</i> , 25(3), 1108-1120. doi:10.1353/hpu.2014.0127	Thomson, M. D., & Siminoff, L. A. (2015). Finding medical care for colorectal cancer symptoms: experiences among those facing financial barriers. <i>Health Education &amp; Behavior</i> , 42(1), 46-54. doi:10.1177/1090198114557123	Adomah-Afari, A. (2017). Mutual health organizations as facilitators and/or barriers towards the successful implementation of NHIS in Ghana. <i>Annals of Public and Cooperative Economics</i> , 88(3), 369-402. doi:10.1111/apce.12158	Jorgensen, S., Zurayk, M., Yeung, S., Terry, J., Dunn, M., Nieberg, P., & Wong-Beringer, A. (2018). Risk factors for early return visits to the emergency department in patients with urinary tract infection. <i>The American Journal of Emergency Medicine</i> , 36(1), 12-17. doi:10.1016/j.ajem.2017.06.041
11		Wiener, E. S., Mullins, C. D., & Pincus, K. J. (2015). A framework for pharmacist-assisted medication adherence in hard-to-reach patients. <i>Research in Social and Administrative Pharmacy</i> , 11(5), 595-601. doi:10.1016/j.sapharm.2014.11.010	Abbott, D. E., Voils, C. L., Fisher, D. A., Greenberg, C. C., & Safdar, N. (2017). Socioeconomic disparities, financial toxicity, and opportunities for enhanced system efficiencies for patients with cancer. <i>Journal of Surgical Oncology</i> , 115(3), 250-256. doi:10.1002/jso.24528	Nguyen, T. T. (n.d.). Family-based social health insurance for informal workers in Vietnam: Willingness to pay and its determinants. doi:10.5204/thesis.eprints.119003	Karunakaran, A., Zhao, H., & Rubin, D. J. (2018). Predischarge and postdischarge risk factors for hospital readmission among patients with diabetes. <i>Medical Care</i> , 56(7), 634-642. doi:10.1097/mlr.0000000000000931
12		Cummings, L. C. (2016). Transforming Clinical Care Delivery at Grady Health.	Ong, S. E., Koh, J. J., Toh, S. E., Chia, K. S., Balabanova, D., McKee, M., ... Legido-Quigley, H. (2018). Assessing the influence of health systems on type 2 diabetes mellitus awareness, treatment, adherence, and control: A systematic review. <i>PLOS ONE</i> , 13(3), e0195086.	Thomas, C. (2014). Navigating the Health Care Labyrinth: Portraits of the Socioeconomically Disadvantaged.	Galbraith, J. W., Franco, R. A., Donnelly, J. P., Rodgers, J. B., Morgan, J. M., Viles, A. F., ... Wang, H. E. (2015). Unrecognized chronic hepatitis C virus infection among baby boomers in the emergency department. <i>Hepatology</i> , 61(3), 776-782. doi:10.1002/hep.27410

			doi:10.1371/journal.pone.0195086		
13		Raven, M. C., Kushel, M., Ko, M. J., Penko, J., & Bindman, A. B. (2016). The effectiveness of emergency department visit reduction programs: A systematic review. <i>Annals of Emergency Medicine, 68</i> (4), 467-483.e15. doi:10.1016/j.annemergmed.2016.04.015	Miller-Day, M., Applequist, J., Zabokrtsky, K., Dalton, A., Kellom, K., Gabbay, R., & Cronholm, P. F. (2017). A tale of four practices: A comparative analysis of high and low performing patient-centered medical homes. <i>Journal of Health Organization and Management, 31</i> (6), 630-646. https://doi-org.ezp.waldenulibrary.org/10.1108/JHOM-01-2017-0015	Irvine, M. K., Chamberlin, S. A., Robbins, R. S., Myers, J. E., Braunstein, S. L., Mitts, B. J., ... Nash, D. (2014). Improvements in HIV care engagement and viral load suppression following enrollment in a comprehensive HIV care coordination program. <i>Clinical Infectious Diseases, 60</i> (2), 298-310. doi:10.1093/cid/ciu783	Stewart, A., & Sulkowski, K. (2017). Pharmacist use of the electronic medical record to identify adults at risk for anaphylaxis without epinephrine for self-administration. <i>Journal of the American Pharmacists Association, 57</i> (3), 369-374.e2. doi:10.1016/j.japh.2017.01.023
14		Turner, B. J., Parish-Johnson, J. A., Liang, Y., Jeffers, T., Arismendez, S. V., & Poursani, R. (2018). Implementation of the chronic care model to reduce disparities in hypertension control: Benefits take time. <i>Journal of General Internal Medicine, 33</i> (9), 1498-1503. doi:10.1007/s11606-018-4526-3	Jessup, E. (2018). An exploration of barriers to health care access among uninsured patients: Using the moderating effect of patients' enablement.	Kelpin, S. S., Ondersma, S. J., Weaver, M., & Svikis, D. S. (2018). Representativeness of patients enrolled in a primary care clinical trial for heavy/problem substance use. <i>Substance Abuse, 1-7</i> . doi:10.1080/08897077.2018.1526843	Gokce, M. I., Wang, X., Frost, J., Roberson, P., Volk, R. J., Brooks, D., ... & Pettaway, C. (2017). Informed decision making prior to PSA screening: Initial results using the American Cancer Society (ACS) Decision Aid (DA) among medically underserved men. <i>Cancer, 123</i> (4), 583. doi: 10.1016/j.juro.2016.02.643
15		Hudson, N. W. (2015). Spotlight on the safety net: Charlotte community health clinic. <i>North Carolina Medical Journal, 76</i> (3), 194-195. doi:10.18043/ncm.76.3.194	Krcmarik, K. M. (n.d.). Barriers and applications of medication therapy management in the homeless population. <i>Homeless Older Populations</i> . doi:10.1891/9780826170163.0012	Deal, J. D. (2017). <i>Improving access to comprehensive healthcare: The challenges facing retired American seniors</i> (Doctoral dissertation,	Schechter-Perkins, E. M., Miller, N. S., Hall, J., Hartman, J. J., Dorfman, D. H., Andry, C., & Linas, B. P. (2018). Implementation and preliminary results of an emergency department nontargeted, opt-out hepatitis C virus screening program. <i>Academic Emergency Medicine</i> . doi:10.1111/acem.13484

				Northcentral University).	
16		Milone, A. S., Philbrick, A. M., Harris, I. M., & Fallert, C. J. (2014). Medication reconciliation by clinical pharmacists in an outpatient family medicine clinic. <i>Journal of the American Pharmacists Association, 54</i> (2), 181-187. doi:10.1331/japha.2014.12230	Fletcher, F. E., Buchberg, M., Schover, L. R., Basen-Engquist, K., Kempf, M., Arduino, R. C., & Vidrine, D. J. (2014). Perceptions of barriers and facilitators to cervical cancer screening among low-income, HIV-infected women from an integrated HIV clinic. <i>AIDS Care, 26</i> (10), 1229-1235. doi:10.1080/09540121.2014.894617	Mendelberg, H. (2014). Collaboration in Private practice: Psychotherapy in the midst of health care reform. Rowman & Littlefield.	Burke, G., & Paradise, J. (2014). Safety-Net emergency departments: A look at current experiences and challenges. <i>The Kaiser Commission on Medicaid and the Uninsured</i> .
17		Turner, B. J., Taylor, B. S., Hanson, J. T., Perez, M. E., Hernandez, L., Villarreal, R., ... Fiebelkorn, K. (2015). Implementing hospital-based baby boomer hepatitis C virus screening and linkage to care: Strategies, results, and costs. <i>Journal of Hospital Medicine, 10</i> (8), 510-516. doi:10.1002/jhm.2376	Anfang, S. A., & Liptzin, B. (2014). Payment barriers and potential solutions to psychiatric service delivery in the medical setting. <i>Integrated Care in Psychiatry, 55</i> -68. doi:10.1007/978-1-4939-0688-8_4		Wolff, M. J. (2014). Inflammatory bowel disease: The Bellevue experience. <i>Practical Gastroenterology, 38</i> (6), 32-37. Retrieved from <a href="https://www.practicalgastro.com/issues">https://www.practicalgastro.com/issues</a>
18		Goldstone, L. W., DiPaula, B. A., Caballero, J., Park, S. H., Price, C., & Slater, M. Z. (2015). Improving medication-related outcomes for patients with psychiatric and neurologic disorders: Value of psychiatric pharmacists as part of the health care team. <i>Mental Health Clinician, 5</i> (1), 1-28. doi:10.9740/mhc.2015.01.001	Tedaldi, E. M., Richardson, J. T., Debes, R., Young, B., Chmiel, J. S., & Durham, M. D. (2014). Retention in care within 1 year of initial HIV care visit in a multisite US cohort. <i>Journal of the International Association of Providers of AIDS Care (JIAPAC), 13</i> (3), 232-241. doi:10.1177/2325957413514631		Jain, M. K., Thamer, M., Therapondos, G., Shiffman, M. L., Kshirsagar, O., Clark, C., & Wong, R. J. (2018). Has access to hepatitis C virus therapy changed for patients With mental health or substance use disorders in the direct-acting-antiviral period? <i>Hepatology, 69</i> (1), 51-63. doi:10.1002/hep.30171
19		Murzl, C. A., Durns, T. A., Mowrey, L. T., Tubbs, A. S., & Boeve, S. A. (2017). A medical student-run child and adolescent psychiatry clinic: One institution's experience. <i>Academic Psychiatry, 41</i> (5),	Donovan Blondell, A., Robertson, M. J., Brindis, C. D., Anastasia Papanastassiou, A., & Bradley, S. J. (2015). Mobile homeless youth, health disparities, and access to		Jain, M. K., Thamer, M., Therapondos, G., Shiffman, M. L., Kshirsagar, O., Clark, C., & Wong, R. J. (2018). Has access to hepatitis C virus therapy changed for patients with mental health or substance use disorders in the direct-acting-aantiviral period? <i>Hepatology, 69</i> (1), 51-63. doi:10.1002/hep.30171

		582-586. doi:10.1007/s40596-017-0753-x	care: Using mobile phones and geospatial technologies to document geographies of risk and pathways to care. <i>Risk, Protection, Provision and Policy</i> , 1-35. doi:10.1007/978-981-4585-99-6_27-1		
20		Anderson, M. S. (2017). <i>Integrating emergency medical services into the patient-centered medical home</i> (Doctoral dissertation, Capella University).	Herzog, M. (2015). Preventative screening use among medically underserved patients from Central Appalachia.		Harris, A., Chang, H., Wang, L., Sylvia, M., Neale, D., Levine, D., & Bennett, W. (2015). Emergency room utilization after medically complicated pregnancies: A Medicaid claims analysis. <i>Journal of Women's Health</i> , 24(9), 745-754. doi:10.1089/jwh.2014.5125
21		Chung, N., Rascati, K., Lopez, D., Jokerst, J., & Garza, A. (2014). Impact of a clinical pharmacy program on changes in hemoglobin A1c, diabetes-related hospitalizations, and diabetes-related emergency department visits for patients with diabetes in an underserved population. <i>Journal of Managed Care Pharmacy</i> , 20(9), 914-919. doi:10.18553/jmcp.2014.20.9.914	Rojas, D., & Dietz, M. (2016). Providing health care to undocumented residents: Program details and lessons learned from three California county health programs. <i>University of California, Berkeley Center for Labor Research and Education</i> . <a href="http://laborcenter.berkeley.edu/pdf/2016/Providing-Health-Care-to-Undocumented-Residents.pdf">http://laborcenter.berkeley.edu/pdf/2016/Providing-Health-Care-to-Undocumented-Residents.pdf</a> . Published October, 4.		Stewart, A. L., & Lynch, K. J. (2014). Medication discrepancies despite pharmacist led medication reconciliation: The challenges of maintaining an accurate medication list in primary care. <i>Pharmacy Practice (Internet)</i> , 12(1), 00-00. doi:10.4321/s1886-36552014000100004
22		Stewart, A. L., Snodgrass, J., Schontz, M., & Parekh, M. (2015). A student pharmacist-led medication reconciliation service and its impact on the identification of drug-related problems in an ambulatory clinic. <i>Currents in Pharmacy Teaching and Learning</i> , 7(5), 575-583. doi:10.1016/j.cptl.2015.06.020	Donovan Blondell, A., Robertson, M. J., Brindis, C. D., Anastasia Papanastassiou, A., & Bradley, S. J. (2015). Mobile homeless youth, health disparities, and access to care: Using mobile phones and geospatial technologies to document geographies of risk and pathways to care. <i>Risk, Protection, Provision and Policy</i> , 1-35. doi:10.1007/978-981-4585-99-6_27-1		Huang, S. G., Rowe, V. L., Weaver, F. A., Hwang, F., & Woo, K. (2014). Compliance with surgical follow-up does not influence fistula maturation in a county hospital population. <i>Annals of Vascular Surgery</i> , 28(8), 1847-1852. doi:10.1016/j.avsg.2014.06.059

23		Stewart, A. L., & Lynch, K. J. (2014). Discrepancias de la medicación a pesar de la reconciliación de la medicación por farmacéutico: el reto de mantener una lista de medicación precisa en atención primaria. <i>Pharmacy Practice (Internet)</i> , 12(1), 00-00. Retrieved from <a href="https://ezp.waldenulibrary.org/login?url=https://search.ebscohost.com/login.aspx?direct=true&amp;db=rzh&amp;AN=104056612&amp;site=ehost-live&amp;scope=site">https://ezp.waldenulibrary.org/login?url=https://search.ebscohost.com/login.aspx?direct=true&amp;db=rzh&amp;AN=104056612&amp;site=ehost-live&amp;scope=site</a>	Coe, A. B. (2015). Identifying problems during transitions of care and reasons for emergency department utilization in community-dwelling older adults.		Hinds, A., Lopez, D., Rascati, K., Jokerst, J., & Srinivasa, M. (2016). Adherence to the 2013 Blood Cholesterol Guidelines in patients with diabetes at a PCMH. <i>The Diabetes Educator</i> , 42(2), 228-233. doi:10.1177/0145721716631431
24		Jacobs, R. J., Caballero, J., Ownby, R. L., & Kane, M. N. (2014). Development of a culturally appropriate computer-delivered tailored internet-based health literacy intervention for Spanish-dominant Hispanics living with HIV. <i>BMC Medical Informatics and Decision Making</i> , 14(1). doi:10.1186/s12911-014-0103-9	Coyle, A. (2014). <i>The uninsured: Experiences and environment in health access and care in one community</i> (Doctoral dissertation, University of Rochester).		Wieder, R., DeLaRosa, N., Bryan, M., & Hill, A. M. (2014). Cancer pain & palliative care section. <i>Pain Medicine</i> , 15, 42-51. <a href="https://doi-org.ezp.waldenulibrary.org/10.1111/pme.12238">https://doi-org.ezp.waldenulibrary.org/10.1111/pme.12238</a>
25			Sangaramoorthy, T., & Guevara, E. M. (2016). Immigrant health in rural Maryland: A qualitative study of major barriers to health care access. <i>Journal of Immigrant and Minority Health</i> , 19(4), 939-946. doi:10.1007/s10903-016-0417-z		Turner, B. J., Taylor, B. S., Hanson, J., Liang, Y., Veerapaneni, P., Villarreal, R., ... Fiebelkorn, K. (2015). High priority for hepatitis C screening in safety net hospitals: Results from a prospective cohort of 4582 hospitalized baby boomers. <i>Hepatology</i> , 62(5), 1388-1395. doi:10.1002/hep.28018
26			Osborn, C. Y., Mayberry, L. S., Wagner, J. A., & Welch, G. W. (2014). Stressors may compromise medication adherence among adults with diabetes and low		Steele, C. L. (2015). Changes in hospital utilization among seriously mentally ill patients following enrollment in an integrated primary and behavioral health care program.

			socioeconomic status. <i>Western Journal of Nursing Research</i> , 36(9), 1091-1110. doi:10.1177/0193945914524639		
27			Thomas, C. (2014). Navigating the health care labyrinth: Portraits of the socioeconomically disadvantaged.		Calcaterra, S. L., Keniston, A., Blum, J., Crume, T., & Binswanger, I. A. (2015). The association between stimulant, opioid, and multiple drug use on behavioral health care utilization in a safety-net-health system. <i>Substance Abuse</i> , 36(4), 407-412. doi:10.1080/08897077.2014.996697
28			Hendley, C. (2016). <i>Cracks in the system: The gap between the emergency department and primary care</i> (Doctoral dissertation, Wake Forest University).		White, S. M., & Hill, A. (2014). A heart failure initiative to reduce the length of stay and readmission rates. <i>Professional Case Management</i> , 19(6), 276-284. doi:10.1097/ncm.0000000000000059
29			Abdelwadoud, M. (2017). Addressing barriers to hepatitis C treatment initiation in Kentucky clinic.		Gökce, M. I., Wang, X., Frost, J., Roberson, P., Volk, R. J., Brooks, D., ... Pettaway, C. A. (2016). Informed decision making before prostate-specific antigen screening: Initial results using the American Cancer Society (ACS) Decision Aid (DA) among medically underserved men. <i>Cancer</i> , 123(4), 583-591. doi:10.1002/cncr.30367
30			Jalil-Gutierrez, S. (2016). Health care experiences of the uninsured at the dawn of the 21st century.		Mauffrey, C., & Mavrogenis, A. F. (2017). Quality, cost and outcomes measures in orthopaedic healthcare. <i>International Orthopaedics</i> , 41(9), 1705-1708. doi:10.1007/s00264-017-3601-4
31			Stewart, K. L., McLane, S., & Cantu, C. (2015). Community Health Needs assessment: A survey of health and behavioral health needs of the poor and extremely poor in West Texas. Angelo State University.		Stulberg, D. B., Dahlquist, I., Jarosch, C., & Lindau, S. T. (2016). Fragmentation of care in ectopic pregnancy. <i>Maternal and Child Health Journal</i> , 20(9), 1993-1993. doi:10.1007/s10995-016-2021-1
32			Petith-Zbiciak, C. (2016). <i>Closing the gap in health care services for homeless persons on Maui</i> (Doctoral dissertation, University of Hawai'i at Manoa).		Sherbuk, J. E., McManus, K. A., Rogawski McQuade, E. T., Knick, T., Henry, Z., & Dillingham, R. (2018). Hepatitis C within a single health system: Progression along the cascade to cure is higher for those with substance misuse when linked to a clinic with embedded

					support services. <i>Open Forum Infectious Diseases</i> , 5(9). doi:10.1093/ofid/ofy202
33			Tubman, N. E. (2016). <i>The effect of illiteracy on the prevalence of malaria in Yekepa, Liberia: A descriptive study</i> (Doctoral dissertation, University of Phoenix).		Towfighi, A., Cheng, E. M., Ayala-Rivera, M., McCreath, H., Sanossian, N., Dutta, T., ... Vickrey, B. G. (2017). Randomized controlled trial of a coordinated care intervention to improve risk factor control after stroke or transient ischemic attack in the safety net: Secondary stroke prevention by uniting community and chronic care model teams early to end disparities (SUCCEED). <i>BMC Neurology</i> , 17(1). doi:10.1186/s12883-017-0792-7
34			Tristan, B. L. (2015). <i>Sociodemographic predictors of medication nonadherence among Latinos with diabetes type II</i> (Doctoral dissertation, Walden University).		Carrasquillo, O., Patberg, E., Alonzo, Y., Kenya, S., & Li, H. (2014). Rationale and design of the Miami Healthy Heart Initiative: A randomized controlled study of a community health worker intervention among Latino patients with poorly controlled diabetes. <i>International Journal of General Medicine</i> , 115. doi:10.2147/ijgm.s56250
35			Nwamu, A. (2017). <i>Barriers to healthcare: A phenomenological study of Nigerian immigrants</i> (Doctoral dissertation, Capella University).		Halperin, J., Bean, M. C., & Richey, L. E. (2016). Laboratory markers slightly overestimate retention in HIV care among newly diagnosed individuals. <i>AIDS Care</i> , 28(9), 1188-1191. doi:10.1080/09540121.2016.1164291
36					Shimizu, E., Glaspy, K., Witt, M. D., Poon, K., Black, S., Schwartz, S., ... Spellberg, B. (2014). Readmissions at a public safety net hospital. <i>PLoS ONE</i> , 9(3), e91244. doi:10.1371/journal.pone.0091244
37					Xin, H., Kilgore, M. L., Sen, B., & Blackburn, J. (2015). Can nonurgent emergency department care costs be reduced? Empirical evidence from a U.S. nationally representative sample. <i>The Journal of Emergency Medicine</i> , 49(3), 347-354. doi:10.1016/j.jemermed.2015.01.034
38					Carrasquillo, O., Lebron, C., Alonzo, Y., Li, H., Chang, A., & Kenya, S. (2017). Effect of a community health worker intervention among Latinos with poorly controlled type 2 diabetes: The Miami Healthy Heart Initiative randomized clinical study. <i>JAMA Internal Medicine</i> , 177(7), 948. doi:10.1001/jamainternmed.2017.0926

39					Xin, H., Kilgore, M. L., Sen, B. (., & Blackburn, J. (2015). Can nonurgent emergency department care costs be reduced? Empirical evidence from a U.S. nationally representative sample. <i>The Journal of Emergency Medicine</i> , 49(3), 347-354. doi:10.1016/j.jemermed.2015.01.034
40					Talbott, J. (2012). Capitation of public mental health services in Colorado: A five-year follow-up of system-level effects. <i>Yearbook of Psychiatry and Applied Mental Health</i> , 2012, 196. doi:10.1016/j.ypsy.2011.08.071
41					Ventres, W., & Haq, C. (2014). Search family medicine share links. <i>Family Medicine</i> , 46(9), 691-5. Retrieved from <a href="https://journals.stfm.org/">https://journals.stfm.org/</a>
42					White-Means, S., Dapremont, J., Rice, M., Davis, B., & Stoddard, O. (2017). Breast cancer mortality disparities: Providers' perspective. <i>Journal of Nursing Education and Practice</i> , 7(6), 46. doi:10.5430/jnep.v7n6p46
43					Tuot, D. S., & Grubbs, V. (2015). Chronic kidney disease care in the US safety net. <i>Advances in Chronic Kidney Disease</i> , 22(1), 66-73. doi:10.1053/j.ackd.2014.05.006
44					Malloy, K. M., & Pou, A. M. (2017). Survivorship. <i>Otolaryngologic Clinics of North America</i> , 50(4), 853-866. doi:10.1016/j.otc.2017.04.005
45					Williams, A. (2017). Faculty of 1000 evaluation for severe anemia from heavy menstrual bleeding requires heightened attention. F1000 - Post-publication peer review of the biomedical literature. doi:10.3410/f.725461088.793539252
46					Stella, S. A., Allyn, R., Keniston, A., Johnston, L. B., Burden, M., Bogdan, G. M., ... Albert, R. K. (2014). Postdischarge problems identified by telephone calls to an advice line. <i>Journal of Hospital Medicine</i> , 9(11), 695-699. doi:10.1002/jhm.2252
47					Olfson, M. (2016). Building the mental health workforce capacity needed to treat adults with serious mental illnesses. <i>Health Affairs</i> , 35(6), 983-990. doi:10.1377/hlthaff.2015.1619

48					Kern, J. (2014). Providing primary care in behavioral health settings. <i>Integrated Care</i> . doi:10.1176/appi.books.9781615370009.lr08
49					Dunn, G. P., & Miller, N. (2014). Patient-centering approaches for the surgical oncologist: Palliative care, patient navigation, and distress screening. <i>Journal of Surgical Oncology</i> , 110(5), 621-628. doi:10.1002/jso.23713
50					Harpin, S. B., Druck, J., Schroeder, A., Favaro, C. W., McLean, R., Wiler, J., ... Capp, R. (2016). Transforming health care education to address social determinants of health: The 2014 hot spotters student program. <i>Journal of Interprofessional Education &amp; Practice</i> , 5, 33-36. doi:10.1016/j.xjep.2016.10.002
51					Malecha, P. W., Williams, J. H., Kunzler, N. M., Goldfrank, L. R., Alter, H. J., & Doran, K. M. (2018). Material needs of emergency department patients: A systematic review. <i>Academic Emergency Medicine</i> , 25(3), 330-359. doi:10.1111/acem.13370
52					Moore, L. J. (2016). Lois J. Moore oral history interview transcript.
53					Perelman, J., Rosado, R., Ferro, A., & Aguiar, P. (2017). Linkage to HIV care and its determinants in the late HAART era: A systematic review and meta-analysis. <i>AIDS Care</i> , 30(6), 672-687. doi:10.1080/09540121.2017.1417537
54					Braunstein, G. D. (2016). Health care reform, population health, and the endocrinologist. In <i>Williams textbook of endocrinology</i> (pp. 69-76). Content Repository Only!.
55					Kinney, A. Y., Howell, R., Ruckman, R., McDougall, J. A., Boyce, T. W., Vicuña, B., ... Walters, S. T. (2018). Promoting guideline-based cancer genetic risk assessment for hereditary breast and ovarian cancer in ethnically and geographically diverse cancer survivors: Rationale and design of a 3-arm randomized controlled trial. <i>Contemporary Clinical Trials</i> , 73, 123-135. doi:10.1016/j.cct.2018.09.005
56					Worthington, D. C. (2015). The role of psychology in integrated primary care for complex patients: Effects on mental health, utilization of

					medical services, and physiological markers of health.
57					Huynh, H. P., Legg, A. M., Ghane, A., Tabuenca, A., & Sweeny, K. (2014). Who is satisfied with general surgery clinic visits? <i>Journal of Surgical Research, 192</i> (2), 339-347. doi:10.1016/j.jss.2014.05.086
58					Bush, M. L., Taylor, Z. R., Noblitt, B., Shackelford, T., Gal, T. J., Shinn, J. B., ... & Studts, C. R. (2017). Promotion of early pediatric hearing detection through patient navigation: A randomized controlled clinical trial. <i>The Laryngoscope, 127</i> , S1-S13. doi:10.1002/lary.26822
59					Jacobs, J. P. (2014). Databases for assessing the outcomes of the treatment of patients with congenital and pediatric cardiac disease: The perspective of cardiac surgery. <i>Pediatric and Congenital Cardiac Care, 77</i> -125. doi:10.1007/978-1-4471-6587-3_8
60					Tuot, D. S., Leeds, K., Murphy, E. J., Sarkar, U., Lyles, C. R., Mekonnen, T., & Chen, A. H. (2015). Facilitators and barriers to implementing electronic referral and/or consultation systems: A qualitative study of 16 health organizations. <i>BMC Health Services Research, 15</i> (1). doi:10.1186/s12913-015-1233-1
61					Fava, J. P., Collieran, J., Bignasci, F., Cha, R., & Kilgore, P. E. (2017). Adolescent human papillomavirus vaccination in the United States: Opportunities for integrating pharmacies into the immunization neighborhood. <i>Human Vaccines &amp; Immunotherapeutics, 13</i> (8), 1844-1855. doi:10.1080/21645515.2017.1325980
62					Haller, J. A., Bilson, J. P., & Hyman, L. (2016). Wills Eye Hospital community health needs assessment.
63					R Sy, E., Quach, T., Lee, J., Yang, N. I., Thaing, M., & Chang, K. S. (2016). Responding to commercially sexually exploited children (CSEC): A community health center's journey towards creating a primary care clinical CSEC screening tool in the United States. <i>International Journal of Social Science Studies, 4</i> (6). doi:10.11114/ijss.v4i6.1576 ...

64					Yim, C. K., Shumate, L., Barnett, S. H., & Leitman, I. M. (2018). Health literacy assessment and patient satisfaction in surgical practice. <i>Annals of Medicine and Surgery, 35</i> , 25-28. doi:10.1016/j.amsu.2018.08.022
65					Lauckner, C., & Whitten, P. (2015). The state and sustainability of telepsychiatry programs. <i>The Journal of Behavioral Health Services &amp; Research, 43</i> (2), 305-318. doi:10.1007/s11414-015-9461-z
66					Wong, A. (2017). Controlling diabetes-are clinical practice guidelines the answer?.
67					Wang, Y., Yeo, Q. Q., & Ko, Y. (2015). Economic evaluations of pharmacist-managed services in people with diabetes mellitus: A systematic review. <i>Diabetic Medicine, 33</i> (4), 421-427. doi:10.1111/dme.12976
68					Ott, K. B. (2015). Healthcare and human rights consequences of the closure of New Orleans' Charity Hospital after hurricane Ktrina. <i>Race, Gender &amp; Class, 160</i> .
69					Lambert, C. C., Mugavero, M. J., Najjar, Y. S., Enah, C., & Guthrie, B. J. (2018). The state of adherence to HIV care in black women. <i>Journal of the Association of Nurses in AIDS Care, 29</i> (4), 487-503. doi:10.1016/j.jana.2018.02.008
70					Felland, L., Cunningham, P. J., Doubleday, A., & Warren, C. (2016). Effects of the Affordable Care Act on safety net hospitals. <i>Mathematica Policy Research</i> .
71					Mirabito, D. M., Lloyd, C. M., Phillips, N. K., & Straussner, S. L. A. (2017). Health issues affecting urban children. <i>Children in the urban environment: Linking social policy and clinical practice, 169-189</i> .
72					Stulberg, D., Cain, L., Dahlquist, I., & Lauderdale, D. (2016). Ectopic pregnancy morbidity and mortality in low-income women, 2004–2008. <i>Human Reproduction, 31</i> (3), 666-671. doi:10.1093/humrep/dev332
73					Rothman, P. B., Miller, E. D., King, L. S., & Gibson, E. F. (2015). The changing ivory tower: balancing mission and business. In <i>The transformation of academic health centers</i> (pp. 3-12).

74					Petty, C. M., McSweeney, J. C., Stewart, K. E., Cleves, M. A., Price, E. T., Heo, S., & Souder, E. (2016). African Americans' perceptions of adherence to medications and lifestyle changes prescribed to treat hypertension. <i>SAGE Open</i> , 6(1), 215824401562359. doi:10.1177/2158244015623595
75					Kurani, N. (2017). Medical debt and hospital charity care: A case study.
76					Gomez, D., Bridges, A. J., Andrews, A. R., Cavell, T. A., Pastrana, F. A., Gregus, S. J., & Ojeda, C. A. (2014). Delivering parent management training in an integrated primary care setting: Description and preliminary outcome data. <i>Cognitive and Behavioral Practice</i> , 21(3), 296-309. doi:10.1016/j.cbpra.2014.04.003
77					Kominski, G. F., Nonzee, N. J., & Sorensen, A. (2017). The Affordable Care Act's impacts on access to insurance and health care for low-income populations. <i>Annual Review of Public Health</i> , 38(1), 489-505. doi:10.1146/annurev-publhealth-031816-044555
78					McManus, M., Cramer, R., Boshier, M., Akpınar-Elci, M., & Van Lunen, B. (2018). Mental health and drivers of need in emergent and non-emergent emergency department (ED) use: Do living location and non-emergent care sources matter? <i>International Journal of Environmental Research and Public Health</i> , 15(1), 129. doi:10.3390/ijerph15010129
79					Gyamfi, Kwame K. A phenomenological case study of ethnic minority Medicaid diabetic patients in Virginia: Providers' viewpoints. Diss. Capella University, 2017.
80					Sangaramoorthy, T. (2018). "Putting Band-Aids on things that need stitches": Immigration and the landscape of care in rural America. <i>American Anthropologist</i> , 120(3), 487-499. doi:10.1111/aman.13054
81					Araujo, F. S. (2016). The association between psychological factors and glycemic control in type 2 diabetic patients on insulin. Illinois Institute of Technology.

82					Sehgal, N. (2016). Nutrimed healthcare clinic for treating childhood obesity and overweight. California State University, Long Beach.
83					Sehgal, N. (2016). Nutrimed healthcare clinic for treating childhood obesity and overweight. California State University, Long Beach.
84					Wadhera, R. K., Steen, D. L., Khan, I., Giugliano, R. P., & Foody, J. M. (2016). A review of low-density lipoprotein cholesterol, treatment strategies, and its impact on cardiovascular disease morbidity and mortality. <i>Journal of Clinical Lipidology</i> , 10(3), 472-489. <a href="https://doi.org/10.1016/j.jacl.2015.11.010">https://doi.org/10.1016/j.jacl.2015.11.010</a>
85					Edmonds, M. (2017). The effect of critical access hospitals and healthcare requirements on small communities.
86					Roper-Coleman, A. C., & Sunbury, T. (2015). Integrating primary care into mental health settings for adults with severe and persistent mental illnesses.
87					Cruz, A. M. (2017). Patient satisfaction with nurse practitioner care on Guam.
88					Bearden, J. D., Holstien, B., & Gansauer, L. (2015). Taking cancer care to a new level. <i>Managing Disruptive Change in Healthcare</i> , 91-124. doi:10.1093/med/9780199368778.003.0004
89					Baik, D., & Zierler, B. (2018). Clinical nurses' experiences and perceptions after the implementation of an interprofessional team intervention: A qualitative study. <i>Journal of Clinical Nursing</i> , 28(3-4), 430-443. doi:10.1111/jocn.14605
90					Sacks, R. M., Greene, J., Burke, R., & Owen, E. C. (2015). Mental health care among low-income pregnant women with depressive symptoms: Facilitators and barriers to care access and the effectiveness of financial incentives for increasing care. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 42(4), 484-492. doi: DOI <a href="https://doi.org/10.1007/s10488-014-0562-4">https://doi.org/10.1007/s10488-014-0562-4</a>
91					Aidala, A. A., Wilson, M. G., Shubert, V., Gogolishvili, D., Globerman, J., Rueda, S., ... Rourke, S. B. (2016). Housing status, medical care, and health outcomes among people living

					with HIV/AIDS: A systematic review. <i>American Journal of Public Health</i> , 106(1), 95-95. doi:10.2105/ajph.2015.302905a
92					Mazze, R. (2008). The future of self-monitored blood glucose: Mean blood glucose versus glycosylated hemoglobin. <i>Diabetes Technology &amp; Therapeutics</i> , 10(s1), S-93-S-101. doi:10.1089/dia.2008.0006
93					Aron, L., Bogle, M., Cohen, M., & Lipman, M. (2018). Prevention, treatment, and recovery: Toward a 10-year plan for improving mental health and wellness in Tulsa.
94					Drummond, M. F., Sculpher, M. J., Claxton, K., Stoddart, G. L., & Torrance, G. W. (2015). <i>Methods for the economic evaluation of health care programmes</i> . Oxford university press.
95					O'Hara, A. H. (2018). <i>Smithfield Community accessible resources, education, and screenings (CARES)</i> .
96					Loriston, I. P. (2018). <i>Informing BPM practice in emergency units of South African hospitals for improved patient flow</i> (Doctoral dissertation, University of Cape Town).
97					Ehrlich, R. A., & Coakes, D. M. (2016). <i>Patient care in radiography-e-book: With an introduction to medical imaging</i> . Elsevier Health Sciences.
98					Moller, D. W. (2018). <i>Dying poor needn't mean dying poorly</i> . Oxford Scholarship Online. doi:10.1093/oso/9780199760145.003.0009
99					McKinney, E. S., James, S. R., Murray, S. S., Nelson, K., & Ashwill, J. (2017). <i>Maternal-child nursing-e-book</i> . Elsevier Health Sciences.
100					Nash, D. B., Reifsnnyder, J., Fabius, R. J., Clarke, J. L., & Skoufalos, A. (2015). <i>Population health</i> . Jones & Bartlett Publishers.
101					Lenker, C. (2015). <i>A model to compare community-based and outpatient settings for pediatric rehabilitation: An example from South Carolina</i> . Medical University of South Carolina-College of Health Professions.
102					Hallarman, L., Snow, D., Kapoor, M., Brown, C., Rodabaugh, K., & Lawton, E. (2014). <i>Blueprint for success: Translating innovations from the field of palliative medicine to the medical-legal</i>

					partnership. <i>Journal of Legal Medicine</i> , 35(1), 179-194. doi:10.1080/01947648.2014.885330
103					Mossialos, E. M., Wenzl, M. W., Osborn, R. O., & Sarnak, D. S. (2016). International profiles of health care systems, 2015. doi:10.15868/socialsector.25100
104					Nelson, A. (2015). Prenatal contraceptive counseling and method provision after childbirth. <i>Open Access Journal of Contraception</i> , 53. doi:10.2147/oajc.s52925
105					Ricci, W., & Ostrom, R. F. (2018). <i>Orthopaedic knowledge update: Trauma 5</i> . Lippincott Williams & Wilkins.
106					Steinman, J., & Gray, J. O. (2015). Legislative update with Aloha 2015. <i>Training Public Service Psychologists to Prescribe Psychoactive Medication: A Collaborative Effort by Division 18 and Alliant International University</i> . 15, 27.
107					Poggenpoel, D. C. (2015). Debt management and revenue-enhancing strategies: A case study of the hospital fees department at the Red Cross War Memorial Children's Hospital for the period 2008–2012.
108					Darlington, C. K., & Hutson, S. P. (2018). Understanding the association of internalized HIV stigma with retention in HIV care. <i>Journal of HIV and AIDS</i> , 4(3). doi:10.16966/2380-5536.159
109					Yarrison, R. (2015). Reinventing American health care: How the Affordable Care Act will improve our terribly complex, blatantly unjust, outrageously expensive, grossly inefficient, error prone system. <i>International Journal on Disability and Human Development</i> , 14(3). doi:10.1515/ijdh-2015-0410
110					Lenihan, M. (2017). <i>Charity in health care: Safety net or (moral) safety valve?</i> (Doctoral dissertation).
111					Smith, M. A. (2018). <i>Essentials of Family Medicine</i> . Lippincott Williams & Wilkins.
112					Karichu, J. K. (2017). <i>Assessment of Variability in Hospital Readmissions Among Medicare Beneficiaries in the United States</i> (Doctoral dissertation, Kent State University).

113					Sellers, C. (2015). H2H strategies associated with reduced heart failure readmission rates in Georgia Hospitals
114					Scheid, T. L., & Wright, E. R. (Eds.). (2017). <i>A handbook for the study of mental health</i> . Cambridge University Press.
115					Martagon-Villamil, J., & Skiest, D. J. (2017). Initial laboratory evaluation and risk stratification of the HIV-infected patient. <i>Oxford Medicine Online</i> . doi:10.1093/med/9780190493097.003.0010
116					Krachler, N. (2016). Book Review: Selling our souls: The commodification of hospital care in the United States.
117					Benton, K. (2017). The skill of end-of-life communication for clinicians. <i>SpringerBriefs in Ethics</i> . doi:10.1007/978-3-319-60444-2
118					Murray, E. (2017). <i>Nursing leadership and management: For patient safety and quality care</i> . FA Davis.
119					Jacob, S. R. (2015). The evolution of professional nursing. <i>Contemporary nursing-e-book: Issues, trends, &amp; management</i> , 1.
120					Wynter, S. (2016). Affecting Tdap vaccination rates among women: A multifaceted intervention
121					Vichare, A. M. (2017) Affordability, utilization and satisfaction with care: A policy context for improving health care experiences
122					Kim, K., Choi, J. S., Choi, E., Nieman, C. L., Joo, J. H., Lin, F. R., ... Han, H. (2016). Effects of community-based health worker interventions to improve chronic disease management and care among vulnerable populations: A systematic review. <i>American Journal of Public Health</i> , 106(4), 671-671. doi:10.2105/ajph.2015.302987a
123					Wesson, D. E., & Kitzman, H. E. (2018). How academic health systems can achieve population health in vulnerable populations through value-based care. <i>Academic Medicine</i> , 93(6), 839-842. doi:10.1097/acm.0000000000002140
124					Pereira, L., Budovich, A., & Claudio-Saez, M. (2018). Monitoring of metabolic adverse effects

					associated with atypical antipsychotics use in an outpatient psychiatric clinic. <i>Journal of Pharmacy Practice</i> , 089719001775271. doi:10.1177/0897190017752712
125					Fierlbeck, K. (2018). Treating health care: How the Canadian system works and how it could work better. <i>Canadian Journal of Political Science</i> , 1-3. doi:10.1017/s0008423918000938
126					Schoenberg, M., Heider, F., Rosenthal, J., Schwartz, C., & Kaye, N. (2015). State experiences designing and implementing medicaid delivery system reform incentive payment (DSRIP) pools. <i>National Academy of State Health Policy</i> . www.macpac.gov/wp-content/uploads/2015/06/State-Experiences-Designing-DSRIP-Pools.pdf (accessed June 29, 2015).
127					Shartzter, A., Long, S. K., & Anderson, N. (2016). Access To care and affordability have improved following Affordable Care Act implementation; problems remain. <i>Health Affairs</i> , 35(1), 161-168. doi:10.1377/hlthaff.2015.0755
128					Evans, S. Y., Bell, K., & Burton, N. K. (2017). <i>Black women's mental health: Balancing strength and vulnerability</i> . Albany, NY: SUNY Press.
129					Boltz, M., Cuellar, N. G., Cole, C., & Pistorese, B. (2018). Comparing an on-site nurse practitioner with telemedicine physician support hospitalist programme with a traditional physician hospitalist programme. <i>Journal of Telemedicine and Telecare</i> , doi:10.1177/1357633x18758744
130					Board, T. R., & National Academies of Sciences, Engineering, and Medicine. (2016). <i>Structured Annotated Bibliography</i> .
131					Kumah, E. (2017). To what extent does patient experience account for variation in patient satisfaction with a healthcare system? <i>European Journal for Person Centered Healthcare</i> , 5(2), 191. doi:10.5750/ejpc.v5i2.1281
132					Farr, M. (2015). <i>Diagnosing drug shortages</i> (Doctoral dissertation).
133					Carvalho, C. F. D. (2016). <i>Parent-reported treatment outcomes versus clinician judgment:</i>

					<i>Correlates of psychotherapy improvement with children</i> (Doctoral dissertation).
134					Everett, C. M., Cawlet, J. F., & Hooker, R. (2017). Physician assistants in hospital settings. <i>Physician Assistants: Policy and Practice, 4e</i> , 135-159.
135					Brown, C. (2016). <i>Exploring leadership strategy influence on nursing personnel retention within safety-net hospitals</i> . (Doctoral dissertation, Walden University)
136					Brennaman, L. H. (2015). <i>Boarding patients who require involuntary mental health examinations in Florida</i> . (Doctoral dissertation, University of New Mexico)
137					Loh, L. W. (2016). <i>The role of free clinics in primary health care for vulnerable people: Policy and theory development based on empirical analyses of the free clinic in Dunedin, New Zealand</i> (Doctoral dissertation, University of Otago).
138					Sarfo, R. (2018). <i>Relationships among health literacy, self-care, and hospital readmission status in African American adults with heart failure</i> (Doctoral dissertation, Augusta University).
139					Blunt, I. (2016). Medical practice variations in emergency services. <i>Medical Practice Variations</i> , 79-112. doi:10.1007/978-1-4899-7603-1_73
140					Nolan, J. P., & Parr, M. J. (2016). Management after resuscitation from cardiac arrest. <i>Oxford Medicine Online</i> . doi:10.1093/med/9780199600830.003.0066
141					Vukmir, R. B. (2018). Legal issues in Emergency medicine. doi:10.1017/9781316182192
142					Agyemang, A. (2016). <i>Testing a low-intensity and accessible cognitive behavioral therapy for insomnia (CBT-I) intervention in individuals newly diagnosed with cancer</i> . (Doctoral dissertation, Virginia Commonwealth University).
143					Gifford, L. (2017). Financing nursing care around the world: Global health care. In L. T. Waxman (Ed.), <i>Financial and business management for</i>

					<i>the doctor of nursing practice</i> (2nd ed., pp. 365-372). Springer Publishing Company.
144					Valaitis, R. K., O'Mara, L., Wong, S. T., MacDonald, M., Murray, N., Martin-Misener, R., & Meagher-Stewart, D. (2018). Strengthening primary health care through primary care and public health collaboration: the influence of intrapersonal and interpersonal factors. <i>Primary Health Care Research &amp; Development</i> , 1-14. <a href="https://doi.org/10.1017/S1463423617000895">https://doi.org/10.1017/S1463423617000895</a>
145					Sheard, L., Marsh, C., O'Hara, J., Armitage, G., Wright, J., & Lawton, R. (2017). The patient feedback response framework—understanding why UK hospital staff find it difficult to make improvements based on patient feedback: A qualitative study. <i>Social Science &amp; Medicine</i> , 178, 19-27. <a href="https://doi.org/10.1016/j.socscimed.2017.02.005">https://doi.org/10.1016/j.socscimed.2017.02.005</a>
146					Kuhn, D., & Brown, C. (2015). Exploration of factors associated with hospital readmissions in patients with chronic heart failure: a pilot study. <i>Professional Case Management</i> , 20(2), 106-109. doi: 10.1097/NCM.0000000000000086
147					Kuhn, D., & Brown, C. (2015). Exploration of factors associated with hospital readmissions in patients with chronic heart failure: a pilot study. <i>Professional Case Management</i> , 20(2), 106-109. doi:10.1097/NCM.0000000000000086
148					Patel, N. K., Jaén, C. R., Stange, K. C., Miller, W. L., Crabtree, B. F., & Nutting, P. (2015). Patient centered medical home: a journey not a destination. In <i>Geriatrics Models of Care</i> (pp. 155-162). Springer, Cham.
149					Abdelbaqy, M. A. M. (2015). <i>Investigation of stigma, discrimination and impact on psychosocial life of patients with chronic hepatitis C infection attending hepatology units in Main University Hospital of Apexandria</i> (Doctoral dissertation, University of Alexandria).
150					Mor, N. (2015). A Course on the fundamentals of health systems design.

				<a href="https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2656909">https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2656909</a>
151				McNew, R. (2017). <i>Emergency Department Compliance Manual: 2017 Edition</i> . Wolters Kluwer Law & Business.
152				Melo, M. A. (2017). <i>Enacting Life: Dialysis among undocumented Mexican immigrants in the US-Mexico borderlands</i> (Doctoral dissertation, The University of Texas at San Antonio).
153				Parker, C. J. (2016). <i>The use of health information exchange organizations in clinical research: Current status, challenges and opportunities</i> . (Doctoral thesis, Michigan State University).
154				Shi, & Singh, D. A. (2017). <i>Delivering health care in America</i> . Burlington, MA: Jones & Bartlett Learning.
155				Lambert, M. (2016). <i>Unrest insured</i> . Pennsauken, NJ: BookBaby.
156				Richman, B. D., & Rice, A. (2017). <i>NC Medicaid Reform: A Bipartisan Path Forward</i> . (Doctoral thesis, Duke University).
157				Manno, M. S., & Treskon, L. (2016). Improving Service Delivery for Children Affected by Trauma: An Implementation Study of Children's Institute, Inc. <i>MDRC</i> .
158				Kabaci, M. J. (2015). Theses and Dissertations Completed in Family and Consumer Sciences in 2014. <i>Family and Consumer Sciences Research Journal</i> , 44(2), 213-233.
159				Cruz, T. S. (2017). <i>Breast cancer risk perception, knowledge, attitudes, beliefs and screening behaviors of Chamorro women in Guam</i> . (Doctoral thesis, University of Arizona).
160				Banambo, V. (2017). <i>The role of national health insurance scheme in healthcare financing at Komfo Anokye Teaching Hospital, Kumasi</i> (Doctoral dissertation, University of Education, Winneba).
161				Holtz, C. (2016). <i>Global health care: Issues and policies</i> . Burlington, MA: Jones & Bartlett Learning.
162				Breneman, C. B. (2015). <i>Individual-and neighborhood-level determinants of emergency department utilization among patients with</i>

					<i>diabetes in South Carolina</i> . (Doctoral thesis, University of South Carolina).
163					World Health Organization. (2016). Universal health coverage: moving towards better health: action framework for the Western Pacific Region.
164					Ea, E. E. (2016). <i>Self care among Filipino immigrants in the United States who have hypertension</i> . (Doctoral thesis, Duquesne University).
165					Niles, N. J. (2017). <i>Navigating the U.S. health care system</i> . Burlington, MA: Jones & Bartlett Learning.
167					Carrica, J. (2014), <i>Evaluating integrated care in primary care clinics in rural and frontier Colorado by uncovering barriers to behavioral health referrals: A mixed methods</i> . (Doctoral thesis, Creighton University).
168					Saunders, M. M. (2014). Home health care nurses' perceptions of heart failure home health care. <i>Home Health Care Management &amp; Practice</i> , 26(4), 217-222. doi:10.1177/1084822314528938
169					Shasteen, J. M. (2017). "A doctor is less valuable than a working truck": A phenomenological study exploring international immersion experiences of Primary Care Physicians trained in the US. (Doctoral thesis, University of Nebraska -Lincoln).
170					Kahler, A. J., (2017) <i>Mobilizing medicine: a design response to the accessibility and cost issues in health care</i> . (Doctoral thesis, University of Texas).
171					Lenihan, M., & Hermer, L. D. (2017). On the uneasy relationship between Medicaid and charity care. <i>Notre Dame Journal of Law, Ethics, &amp; Public Policy</i> , 28(1). Retrieved from <a href="http://scholarship.law.nd.edu/ndjlepp/vol28/iss1/5">http://scholarship.law.nd.edu/ndjlepp/vol28/iss1/5</a>
172					Chamla, D., Luo, C., & Idele, P. (2018). Children, HIV, emergencies and sustainable development goals: Roadblocks ahead and possible solutions. <i>Journal of the International AIDS Society</i> , 21, e25046. doi:10.1002/jia2.25046

173					Staff, M. E. (2014). <i>Mobile integrated healthcare: Approach to implementation</i> . Burlington, MA: Jones & Bartlett Publishers.
174					Wang, H., Otoo, N., & Dsane-Selby, L. (2017). <i>Ghana national health insurance scheme: Improving financial sustainability based on expenditure review</i> . Washington, DC: World Bank Publications.
175					Hanif, H. M., Ghaleb, M., & Kronfol, Z. N. (2017, June). Bilateral internal iliac artery aneurysms leading to partial colonic obstruction: A case report. <i>Diseases of the Colon &amp; Rectum</i> , 60(6), e191. <a href="http://texasacs.org/wp-content/uploads/2016/03/posters1.pdf">http://texasacs.org/wp-content/uploads/2016/03/posters1.pdf</a>
176					Sanchez, J. (2016). <i>Obamacare in New Mexico: The New Mexico health insurance exchange: Who or what influences and motivates Hispanic individuals to Enroll?</i> . (Doctoral thesis, University of New Mexico).
177					Borkowski, N. (2015). <i>Organizational behavior, theory, and design in health care</i> . Burlington, MA: Jones & Bartlett Publishers.
178					Morden, S., <i>The ethical right to healthcare in the Affordable Care Act</i> . (Doctoral thesis, Duquesne University).
179					Buchbinder. (2016). <i>Introduction to health care management</i> . Burlington, MA: Jones & Bartlett Learning.
180					Mantel, J. (2016). Tackling the social determinants of health: A central role for providers. <i>Georgia State University Law Review</i> , 33, 217. <a href="https://readingroom.law.gsu.edu/gsulr/vol33/iss2/1">https://readingroom.law.gsu.edu/gsulr/vol33/iss2/1</a>
181					Bezalel, A. (2018). <i>The true cost of healthcare today: A view from behind the curtain in a Massachusetts hospital</i> . Independently Published.
182					Friedman Aytes, L. H. (2016). <i>Control, cure, and prevention: Situating global response to tuberculosis in San Diego County</i> (Doctoral dissertation, University of California San Diego).
183					Hartley-Bangs, L. (2016). <i>Recovery groups: A guide to creating, leading, and working with groups for addictions and mental health</i>

					conditions. <i>Social Work with Groups</i> , 39(1), 89-91. doi:10.1080/01609513.2015.1027867
184					Aytes, L. H. F. (2016). Control, cure, and prevention: Situating global response to tuberculosis in San Diego County. (Doctoral dissertation, University of California, San Diego).
185					McNew. (2018). <i>Emergency department compliance manual, 2018 edition</i> . Alphen aan den Rijn, Netherlands: Wolters Kluwer Law & Business.
186					Melmed, S., Polonsky, K. S., Larsen, P. R., & Kronenberg, H. M. (2015). <i>Williams textbook of endocrinology</i> . St. Louis, MO: Elsevier Health Sciences.
187					Hollingshead, N., Neuffer, A., & Hirsh, A. (2012). An investigation of provider self-insight into their chronic pain management decisions. <i>The Journal of Pain</i> , 13(4), S90. doi:10.1016/j.jpain.2012.01.372
188					Supriatun, E., Nursasi, A. Y., & Fitriyani, P. (2017). Enhancement of pulmonary tuberculosis prevention behavior with role play among elementary school students. <i>Comprehensive Child and Adolescent Nursing</i> , 40(sup1), 78-87. doi:10.1093/heapol/czu064
189					Miller, M. (2018). The role of service-learning in preparing teachers and related professionals to promote health and physical activity in early childhood. In <i>Physical Activity and Health Promotion in the Early Years</i> (pp. 265-283). Springer, Cham.
190					Moore, A. (2016). <i>Perception of realism and moral hazard Medicaid patient no-shows</i> . (Doctoral dissertation, Still University of Health Sciences).
191					Borkowski, N. (2015). <i>Organizational behavior, theory, and design in health care</i> . Burlington, MA: Jones & Bartlett Publishers.
192					Gregory, J. L. (2015). Exploring the expression of pain by limited English proficient Latino immigrants in language and culturally discordant health encounters (Doctoral dissertation, University of California, San Francisco).

193					LeCompte, J. D. (2015). When cruel become the usual: The mistreatment of mentally ill inmates in South Carolina prisons. <i>South Carolina Law Review</i> , 66(4), 751. Retrieved from <a href="http://connection.ebscohost.com/c/articles/111781791/when-cruel-becomes-usual-mistreatment-mentally-ill-inmates-south-carolina-prisons">http://connection.ebscohost.com/c/articles/111781791/when-cruel-becomes-usual-mistreatment-mentally-ill-inmates-south-carolina-prisons</a>
194					Kim, B. W. (2017). Caring on the clock: The complexities and contradictions of paid care work. <i>Contemporary Sociology: A Journal of Reviews</i> , 46(1), 61-62. doi:10.1177/0094306116681813s
195					Mayberry, L. S., & Osborn, C. Y. (2014). Empirical validation of the information–motivation–behavioral skills model of diabetes medication adherence: A framework for intervention. <i>Diabetes Care</i> , 37(5), 1246-1253. doi:10.2337/dc13-1828
196					Hennawi, S. (2016). <i>The role of religion in mitigating cancer disparities among black Americans</i> . (Doctoral dissertation, University of South Florida).
197					Daar, J. (2017). <i>The new eugenics: Selective breeding in an era of reproductive technologies</i> . New Haven, CT: Yale University Press.
198					Garcia, J. (2016). <i>New healthcare system regulations, same problems: A study on the effects of unattainable healthcare and a non-government funded organization in New York City</i> . (Doctoral dissertation, UPPSA Universitet).
199					Wartman, S. (2015). <i>The transformation of academic health centers: Meeting the challenges of healthcare's changing landscape</i> . Cambridge, MA: Academic Press.
200					Beresford, J. V., (2014). <i>Role of physician assistants in rural hospital settings in the Virgin Islands: A case study</i> . (Doctoral dissertation, University of Phoenix).
201					Mella, K. M., (2014). <i>In sickness and in wealth: hospitals, community benefits, and the Affordable Care Act</i> . (Doctoral dissertation, Massachusetts Institute of Technology).

202					Onukogu, D., (2018). <i>Streamlining Hospital administrative procedures to reduce costs</i> . (Doctoral dissertation, Walden University).
203					Otto, M. (2017). <i>Teeth: The story of beauty, inequality, and the struggle for oral health in America</i> . New York, NY: The New Press.
204					Mantel, J. (2017). Tackling the social determinants of health: A central role for providers. <i>Georgia State University Law Review</i> , 33(2), 217-284. Retrieved from <a href="https://readingroom.law.gsu.edu/cgi/viewcontent.cgi?article=2881&amp;context=gsulr">https://readingroom.law.gsu.edu/cgi/viewcontent.cgi?article=2881&amp;context=gsulr</a>
205					Kunjan, K. (2017). <i>A big data augmented analytics platform to operationalize efficiencies at community clinics</i> . (Doctoral dissertation, Indiana University-Purdue University Indianapolis).
206					Tobert, D. G., & Schoenfeld, A. J. (2018). The impact of accountable care organizations on spine care. <i>Seminars in Spine Surgery</i> . doi:10.1053/j.semss.2018.07.008
207					Fisher, A. M., Mtonga, T. M., Espino, J. U., Jonkman, L. J., Connor, S. E., Cappella, N. K., & Douglas, G. P. (2018). User-centered design and usability testing of RxMAGIC: A prescription management and general inventory control system for free clinic dispensaries. <i>BMC Health Services Research</i> , 18(1). doi:10.1186/s12913-018-3517-8
208					Cantwell, M., & Director, C. D. (2015). Dear Ms. Cantwell: This letter is to inform you that the Centers for Medicare & Medicaid Services (CMS) has approved your request to amend California's section 1115 demonstration project, entitled California Bridge to Reform Demonstration (Project Number 11-W-00193/9). This amendment authorizes the state to test a new paradigm for the organized delivery of health care services for.
209					Pfeifer, M. (2014). <i>Primary care shortages in rural Colorado</i> (Doctoral dissertation, Colorado University).
210					Merlin, J. S. (2017). <i>Development and pilot testing of a behavioral intervention for chronic pain tailored to individuals with HIV</i> (Doctoral

					dissertation, The University of Alabama at Birmingham).
211					Schoon, P. M., Porta, C. M., & Schaffer, M. A. (2018). <i>Population-based public health clinical manual: The Henry Street model for nurses</i> (3rd ed.). Indianapolis, IN: Sigma.
212					S. King, E. (2014). The independence foundation's contributions to the nurse-managed health center movement. <i>Nurse-Led Health Clinics</i> . doi:10.1891/9780826128034.0002
213					Owusu-Amankwah, E. (2018). <i>Willingness-to-pay for attributes of health care facilities in rural Kentucky</i> . (Doctoral dissertation, University of Kentucky)
214					Maurer, F. A., & Smith, C. M. (2014). <i>Community/public health nursing practice - e-book: Health for families and populations</i> . St. Louis, MO: Elsevier Health Sciences.
215					Benoit, A., (2016). <i>Association between stress and antiretroviral therapy adherence among women living with HIV in Toronto, Ontario: Assessment of correlates, mediation and moderation</i> . (Masters thesis, University of Toronto).
216					Dykes, D. C. (2015). Health injustice and justice in health: The role of law and public policy in generating, perpetuating, and responding to racial and ethnic health disparities before and after the affordable care act. <i>William Mitchell Law Review.</i> , 41, 1129. <a href="https://open.mitchellhamline.edu/wmlr/vol41/iss3/12/">https://open.mitchellhamline.edu/wmlr/vol41/iss3/12/</a>
217					Richard P. Sloan, P. (2015). <i>Blind faith: The unholy alliance of religion and medicine</i> . New York, NY: St. Martin's Griffin.
218					Holosko, M. J. (2017). <i>Social work case management: Case studies from the frontlines</i> . Thousand Oaks, CA: SAGE Publications.
219					O'Daniel, A. (2016). <i>Holding on: African American women Surviving HIV/AIDS</i> . Lincoln, NE: University of Nebraska Press.
220					Caswell, K. J., & Long, S. K. (2015). The expanding role of managed care in the Medicaid program: Implications for health care access, use, and expenditures for nonelderly adults. <i>INQUIRY</i> :

					<i>The Journal of Health Care Organization, Provision, and Financing</i> , 52, 0046958015575524.
221					Steiner, J. L. (2016). <i>The Yale textbook of public psychiatry</i> . New York, NY: Oxford University Press.
222					Patidar, N. (2014). <i>Freestanding emergency departments: Strategic and policy implications</i> . (Doctoral dissertation, The University of Alabama at Birmingham).
223					Mills, S., Williams, J. E., Wak, G., & Hodgson, A. (2007). Maternal mortality decline in the Kassena-Nankana district of Northern Ghana. <i>Maternal and Child Health Journal</i> , 12(5), 577-585. doi:10.1007/s10995-007-0289-x
224					Sage, W. M. (2015). Assembled products: The key to more effective competition and antitrust oversight in health care. <i>Cornell Law Review</i> , 101(69). Retrieved from <a href="https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2579426">https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2579426</a>
225					Fike, R. J. (2017). <i>Academic and community physician relationships: A part of the fragmentation of American health care</i> (Doctoral dissertation, The Claremont Graduate University).
226					Olson, D., & Ebert, J. R. (2015). <i>2Programs/Divisions</i> . <i>Center for Global Health</i> .
227					Martinez, M. S. (2014). <i>The role of the public primary care network in accessing primary care services in Chile</i> (Doctoral dissertation, UC Berkeley).
228					Kisting, S., Dalvie, A., & Lewis, P. (2016). Brazil: Case study on working time organization and its effects in the health services sector. <i>Human Rights Documents Online</i> . doi:10.1163/2210-7975_hrd-4022-2015042
229					Bonnell, D. K. (2016). <i>Health care fraud across time and delivery systems: Assessing the legal impact of the Affordable Care Act</i> . (Doctoral dissertation, Grand Valley State University).
230					Jenkins, M. L. (2014). <i>Multidimensional leadership strategies to reduce African American health disparities: A grounded theory study</i> (Doctoral dissertation, University of Phoenix).

231					King, L. Z. (2016). <i>Human right or commodity: Middle-class perceptions and experiences of the mix of public and private health care in San José, Costa Rica</i> . (Doctoral dissertation, Michigan State University).
232					Blake, R. S. (2015). <i>Health care public reporting and consumer hospital choice: Effects of comparative performance data displayed by CMS upon discrete hospital choices of Texas residents, 2008-2012</i> . (Doctoral dissertation, The University of Texas at Dallas).
233					M'Cormack-Hale, F. A., & McGough, F. M. (2016). Promises and pitfalls of the free health care initiative in Sierra Leone: An early analysis. <i>Democratization and Human Security in Postwar Sierra Leone</i> , 199-215. doi:10.1057/9781137486745_10
234					Jedele, J. (2016). Federally qualified health centers in a changing health care environment: Are they prepared for the challenge?. (Doctoral dissertation, University of Michigan).
235					Dawes, D. E. (2018). <i>150 Years of ObamaCare</i> . Johns Hopkins University Press.
236					Scherr, T. M. (2016). <i>Perceived effects of the Affordable Care Act on emergency preparedness</i> . (Doctoral dissertation, Walden University).
237					Ehlers, N., & Hinkson, L. R. (2017). <i>Subprime health: Debt and race in U.S. medicine</i> . Minneapolis, MN: University of Minnesota Press.
238					Rowles, G. D., & Teaster, P. B. (2015). Understanding long-term care policy. In <i>Long-term care in an aging society: Theory and practice</i> . New York, NY: Springer Publishing Company.
239					Witter, S., Brikci, N., Harris, T., Williams, R., Keen, S., Mujica, A., ... Renner, A. (2018). The free healthcare initiative in Sierra Leone: Evaluating a health system reform, 2010-2015. <i>The International Journal of Health Planning and Management</i> , 33(2), 434-448. doi:10.1002/hpm.2484
240					Redlener, I. (2017). <i>The future of us: What the dreams of children mean for twenty-first-</i>

					<i>century America</i> . New York, NY: Columbia University Press.
241					Castro, C. (2016). <i>An assessment of long-term services and supports policies for residents of skilled nursing facilities: Where we have been, where are we now, and where we are going</i> (Doctoral dissertation, The University of Texas School of Public Health).
242					Lacey, J., (2015). Mental health advisory board report a blueprint for change. Retrieved from <a href="http://da.lacounty.gov/sites/default/files/policies/Mental-Health-Report-072915.pdf">http://da.lacounty.gov/sites/default/files/policies/Mental-Health-Report-072915.pdf</a>
243					Bongmba, E. K. (2014). <i>African witchcraft and otherness: A philosophical and theological critique of intersubjective relations</i> . Albany, NY: SUNY Press.
244					Anarwat, S. G. (2018). <i>Ghana's National Health Insurance Model: Advancing Financial Risk Protection, Equity of Health Care Access, and Financial Sustainability</i> (Doctoral dissertation, Brandeis University, The Heller School for Social Policy and Management).
245					Jones, T. M., (2014). <i>Expanding estimates of health literacy</i> . Retrieved from <a href="https://digitalcommons.library.tmc.edu/dissertations/AI13643628/">https://digitalcommons.library.tmc.edu/dissertations/AI13643628/</a>
246					Pollack, M. A. (2015). <i>Policy-making in the European Union</i> . Oxford University Press, USA.
247					Sonntag, H. (2017). Medicine behind bars: Regulating and litigating prison healthcare under state law forty years after Estelle v. Gamble. <i>Case Western University Law Review</i> , 68, 603. Retrieved from <a href="https://scholarlycommons.law.case.edu">https://scholarlycommons.law.case.edu</a>
248					Raby, T. C. (2016). <i>Constructing motherhood: How multi-ethnic women navigate cultural expectations of pregnancy and postpartum emotions</i> (Doctoral dissertation, Southern Methodist University).
249					Hutchison-Perry, G. (2016). Case studies in Canadian health policy and management. <i>Canadian Journal of Political Science</i> , 49(02), 396-397. doi:10.1017/s0008423916000317
250					Taryn Vian, S. M., & Kohler, J. C. (2016). Medicines transparency alliance (MeTA):

					Pathways to transparency, accountability and access. <i>Essential Medicines and Health Products Information Portal</i> . Retrieved from <a href="http://apps.who.int/medicinedocs/">http://apps.who.int/medicinedocs/</a>
251					Parenti, M. (2015). <i>Profit pathology and other indecencies</i> . London, England: Routledge.
252					Yoose, C., (2015). <i>African American and Afro-Caribbean American men's prostate health knowledge and beliefs</i> . (Doctoral dissertation, Florida International University).
253					Dutro, A. R. (2016). <i>An art-light mosaic light distraction for the pediatric healthcare environment</i> (Doctoral dissertation, Virginia Tech).
254					Davis, A. L., (2014). <i>New Mexican Hispanic Latinos' perspectives on cancer pain: Meaning, coping, and barriers to relief</i> . (Doctoral dissertation, University of Utah).
255					Shanas, E. (2017). <i>Old people in three industrial societies</i> . London, England: Routledge.
256					Parker, D. W. (2018). <i>Life's work: A moral argument for choice</i> . New York, NY: Simon & Schuster.
257					Longo, J. (2017). <i>Statistics show one in every person dies, let's talk about it</i> . (Doctoral dissertation, Drew University).
258					Petty, S. K., (2018), <i>Worlds apart: The impact of cultural worldview on the policy preferences of the rich and poor</i> . (Doctoral dissertation, University of Oklahoma).
259					Tofar, P., (2014). <i>Health care financing through micro insurance in Cameroon: A prelude to Universalism</i> . (Doctoral dissertation, University of Jyväskylä)
260					Hernandez, J. P., (2014). <i>Maternal-fetal attachment and health behaviors among women with HIV/AIDS</i> . (Doctoral dissertation, Florida International University).
261					Fos, P. J., Fine, D. J., & Zúniga, M. A. (2018). <i>Managerial epidemiology for health care organizations</i> . Hoboken, NJ: John Wiley & Sons.
262					Ray, R. L. (2016). <i>Progressive conversations: Essays on matters of social justice for critical</i>

					<i>thinkers</i> . Eugene, OR: Wipf and Stock Publishers.
263					Holwerda, T. L., (2014). <i>Effects of individual characteristics and symptoms on physical function in persons with lumbar degenerative conditions</i> . (Doctoral dissertation, Michigan State University).
264					Ogolla, C. (2017). First do no harm: The manipulation of public health for non-public health purposes and its legal consequences. <i>Indiana Law Review</i> , 50(3), 849. doi:10.18060/4806.1155
265					Quigley, F., (2015). <i>For goodness' sake: A two-part proposal for remedying the US charity/justice imbalance</i> . (Research paper, Indiana University Robert H. McKinney School of Law)
266					Allison, H., & Allison, I. (2016). <i>Stay, breathe with me: The gift of compassionate medicine</i> . She Writes Press.
267					Smith, A. Z., (2014). <i>Predicting alcohol consumption during pregnancy</i> . (Masters thesis, California State University, Sacramento).
268					Godfery, M. (2018). The myth of the level playing field. <i>Maui Street</i> , 53-56. doi:10.7810/9781988545486_5
269					Iannitto, J. M., Dickman, K., Lakhani, R. H., & So, M. J. (2014). Telehealth insulin program: Managing insulin in primary care. <i>The Journal for Nurse Practitioners</i> , 10(8), 567-574. doi:10.1016/j.nurpra.2014.07.027.
270					Murchison, A. P., Haller, J. A., Mayro, E., Hark, L., Gower, E., & Huisingh, C. (2017). Reaching the unreachable: Novel approaches to telemedicine screening of underserved populations for vitreoretinal disease. <i>Current Eye Research</i> , 42(7), 963-970. doi:10.1080/02713683.2017.1297463
271					Scott, K. R., Milne, W. K., Arora, S., & Carpenter, C. R. (2015). Hot off the press: Post-emergency department automated messaging to improve follow-up compliance-what is the number needed to text? <i>Academic Emergency Medicine</i> , 22(5), 639-641. doi:10.1111/acem.12641

272					Pace, A., (2017). Effects of an interdisciplinary, collaborative, protocol-driven intervention for depression in a minority, indigent population. (Doctoral dissertation, Walden University).
273					Hajjar-Nejad, M. (2018). <i>Measuring the impact of a cultural competency training program in a healthcare facility</i> (Doctoral dissertation, Northcentral University).
274					Kenney, M. (2017, May 10). Patient activation among diverse populations: A systematic review. Retrieved from <a href="https://digitalcommons.chapman.edu/cgi/viewcontent.cgi?article=1250&amp;context=cusrd_abstracts">https://digitalcommons.chapman.edu/cgi/viewcontent.cgi?article=1250&amp;context=cusrd_abstracts</a>
275					O'Brien, N., Hong, Q. N., Law, S., Massoud, S., Carter, A., Kaida, A., ... De Pokomandy, A. (2018). Health system features that enhance access to comprehensive primary care for women living with HIV in high-income settings: A systematic mixed studies review. <i>AIDS Patient Care and STDs</i> , 32(4), 129-148. doi:10.1089/apc.2017.0305
276					Edwards, E. L., (2017) <i>Evidence-based practice change: Implementation of a collaborative practice model for diabetes</i> . (Doctoral dissertation, Northern Arizona University).
277					Skym, S. K., (2017). Strategies clinic managers use to reduce missed medical appointments. (Doctoral dissertation, Walden University).
278					Powers, C., Comfort, M., Lopez, A. M., Kral, A. H., Murdoch, O., & Lorvick, J. (2017). Addressing structural barriers to HIV care among triply diagnosed adults: Project Bridge Oakland. <i>Health &amp; Social Work</i> , 42(2), e53-e61. doi:10.1093/hsw/hlx013
279					Pennell, N. A., Dicker, A. P., Tran, C., Jim, H. S., Schwartz, D. L., & Stepanski, E. J. (2017). mHealth: Mobile technologies to virtually bring the patient into an oncology practice. <i>American Society of Clinical Oncology Educational Book</i> , (37), 144-154. doi:10.1200/edbk_176093
280					Nuti, L., Turkcan, A., Lawley, M. A., Zhang, L., Sands, L., & McComb, S. (2015). The impact of interventions on appointment and clinical outcomes for individuals with diabetes: A

					systematic review. <i>BMC Health Services Research</i> , 15(1). doi:10.1186/s12913-015-0938-5
281					Andreae, M. H., Nair, S., Gabry, J. S., Goodrich, B., Hall, C., & Shaparin, N. (2017). A pragmatic trial to improve adherence with scheduled appointments in an inner-city pain clinic by human phone calls in the patient's preferred language. <i>Journal of Clinical Anesthesia</i> , 42, 77-83. doi:10.1016/j.jclinane.2017.08.014
282					Johnston, B. J., Peppard, L., & Newton, M. (2015). Staying connected: Sustaining collaborative care models with limited funding. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 53(8), 36-44. doi:10.3928/02793695-20150720-06
283					Powers, C., Comfort, M., Lopez, A. M., Kral, A. H., Murdoch, O., & Lorvick, J. (2017). Addressing structural barriers to HIV care among triply diagnosed adults: Project Bridge Oakland. <i>Health &amp; Social Work</i> , 42(2), e53-e61. doi:10.1093/hsw/hlx013
285					O'Toole, T. P., Johnson, E. E., Aiello, R., Kane, V., & Pape, L. (2016). Tailoring care to vulnerable populations by incorporating social determinants of health: The Veterans Health Administration's "homeless patient aligned care team" program. <i>Preventing Chronic Disease</i> , 13. doi:10.5888/pcd13.150567.